

Noleggio LR 100



Product description:

GENERATOR RENTAL 100KVA SET LR100 SINGLE-PHASE / THREE-PHASE POWER 100KVA

Rental LR100 single-phase / three-phase generator set equipped with a diesel engine FPT (IVECO) NEF45TM2 capable of delivering a maximum power of 100KVA, complete with voltage regulator.

GENERATOR 100KVA LR100 is compact and easy to use, equipped with sound-absorbing panels that greatly reduce noise emissions and makes it **super-silenced**. The GENERATOR 100KVA LR100 Generator set is composed of a Mecc Alte alternator with voltage regulator. LR100 generator set is equipped with electric start and with a low fuel consumption, in fact it consumes only 16,2 liters/hour at 80% of the load (221 gkW/h) for an autonomy up to 12 hours of operation. GENERATOR RENTAL 100KVA LR100 is equipped with electric start or automatic start via ATS panel, which allows automatic start in case of blackout.

ATS AUTHOMATIC TRANSFER SWITCH

The LR100 rental generator set is designed for the use of the ATS Authomatic Transfer Switchl. Thanks to it, you will no longer have to worry about blackouts because if the mains fails, this panel is able to automatically start the LR100 and allow you to continue your activity without losing your work data.

RENTAL SERVICE

Rental a generator set has never been so easy: choose the product you want to rent and FILL OUT THE FORM.

Our specialized staff will respond immediately with the offer that best suits you!



The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will use the rental service.

TECHNICAL CHARACTERISTICS GENERATOR 100KVA LR100 :

Phase Type: SinglePhase / ThreePhase
SinglePhase Continuous Power: 33.3 KVA / 26.6
Maximum SinglePhase Power: 36.6 KVA / 29.3
ThreePhase Continuous Power: 100 KVA / 80KW
ThreePhase Maximum Power: 110 KVA / 88KW
Factor $\cos \phi$: 0.8
VAC voltage: 230 / 400 V
Frequency (Hz): 50
Voltage regulator: YES
Start-up switch: Manual / Automatic
Engine: FPT (IVECO) NEF45TM2
RPM: 1500
Power supply: Diesel
Fuel tank capacity: 200 l
Consumption @ 75 % load: 16 l/h
Autonomy @ 75 % load: 12.5 h
Acoustic pressure: 75 dB(A) @ 7m
Length: 2500 mm
Width: 1100 mm
Height: 1700 mm
Net weight: 1800 Kg

Are you looking to rental a generator set with different technical characteristics? Here you can find our entire rental fleet in which you can find the perfect generator for you.

The images are purely indicative.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 29.3
Continuous power single phase (KW): 26.6
Maximum power single phase (KVA): 36.6
Continuous power single phase (KVA): 33.3
Maximum power three phase (KW): 88





Continuous power three phase (KW): 80
Maximum power three phase (KVA): 110
Continuous power three phase (KVA): 100
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230 / 400
Sockets configuration: Terminal box
Engine: FPT NEF45TM2
Emissions Regulations: Stationary Use
Engine rpm (rpm): 1500
Speed governor: Mechanical
Starting system: Electric
Cooling: Air
Alternator: Mecc Alte
Poles: 4
Fuel tank capacity (L): 200
Consumption (L/h): 16.2 Lt/h al 80% del carico
Running time (h): 12.35 h al 80% del carico
Acoustic pressure: 75 dB(A) at 7 m
Length (mm): 2500
Width (mm): 1100
Height (mm): 1700
Dry weight (Kg): 1800
Silenced: Yes
Super silenced: Yes
ATS Switch device : Optional
Voltage regulator: Yes
Engine manufacturer: FPT Iveco

