



WEBASTO COOL TOP TRAIL 24

Product price:

1.268,50 € tax excluded

Product description:

WEBASTO Cool Top Trail 24 air conditioner

The WEBASTO Cool Top Trail 24 air conditioner is a single-phase 230 V model with 2400 W cooling and heating power and is suitable for use in parked motorhomes and caravans up to 8 m long.

The WEBASTO Cool Top Trail 24 is lightweight, compact and easy to install inside small vehicles. The WEBASTO Cool Top Trail 24 air conditioner is also rugged and quiet so you can enjoy the ride to the fullest.

Thanks to its generous heat exchanger, the WEBASTO Cool Top Trail 24 features high efficiency and high performance. The reliability and high cooling power of the WEBASTO Cool Top Trail 24 air conditioner have been tested under extreme conditions at temperatures up to 50°C. Units like this rooftop air conditioner come with a heat pump as standard that is also very powerful, operating in outdoor temperatures as low as -5 °C.

The WEBASTO rooftop very low noise levels allow you to rest and relax inside your vehicle and not disturb your camping neighbors. The use of high quality components ensures long life with minimal maintenance expense. Made of UV-stabilized polypropylene, the air conditioner housing is sturdy yet lightweight.

The air conditioners can be operated with an easy-to-use remote control that allows the user to access all air conditioner functions from the comfort of the dining area, seat or bed.

In addition to cooling and heating, the air conditioners include several extra functions such as dehumidification, timer and sleep function.

The WEBASTO Cool Top Trail air conditioners are supplied with a mounting frame for roof openings of 400 x 400 mm.

For use in smaller openings of 360 x 360 mm, an alternative adapter frame is available as an





accessory.

Technical features of the CoolTopTrail 24 rooftop:

Cooling capacity: 2400 W Heating capacity: 2400 W

Voltage: 230 V Frequency: 50 Hz

Nominal current (cooling mode): 4. 2 A Nominal current (heating mode): 3.8 A Operating temperature range (°C): -5 to 50

Roof thickness (mm): 25 to 85

Roof cut-out (mm): 400 x 400 (360 x 360 with optional adapter)

Outdoor unit dimensions: 1002 x 566 x 215 mm Indoor unit dimensions: 557 x 536 x 43 mm

Total weight: 31. 8 Kg

The advantages of this rooftop air conditioner:

- Powerful air conditioners with high cooling and heating capacity
- Sturdy, lightweight and quiet
- Wide operating range from -5 to 50 °C
- Slim profile and compact design
- Easy installation

If you are looking for another kind of product like WEBASTO Cool Top Trail 24 rooftop air conditioner then you can check our entire catalog of air conditioners for vehicles.

Images and technical data are not binding.

Product features:

Phase: Single phase Frequency (Hz): 50 Voltage (V): 230

Refrigerating yield: 2400 W Heating power: 2400 W

Roof thickness (mm): 25 to 85 Roof notch (mm): 400x400

Length (mm): 1002 Width (mm): 566 Height (mm): 215

Type of climate control: Roof Air Conditioner

Recommended vehicle length (m): 8

Product type: Air conditioner





Weight (Kg): 31.8

