



GENMAC Living RG7KS-M5 GENERATOR 7,2KVA

Product price:

7,246.00 € tax excluded

Product description:

GENMAC LIVING RG7KS-M5 SINGLE-PHASE GENERATOR 7,2KVA

The GENMAC Living RG7KS-M5 single-phase generator features a diesel-powered Kohler stage V engine capable of delivering 7,2KVA with AVR regulator.

The GENMAC Living RG7KS-M5 generator features a liquid-cooled, three-cylinder, horizontal-shaft engine, aluminum head and multiple PTO points ensure maximum performance.

GENMAC Living RG7KS-M5 are highly reliable machines, built with quality components for use in the professional field, where reliability is paramount.

The Stage V engine also allows the generator set to be used for mobile use, such as for road construction sites and rental services. The GENMAC Living RG7KS-M5 is suitable for applications in different contexts such as: hospitals, industries, shopping malls, hotels, airports, banks, universities, stadiums, offices, etc.

The diesel engine maintains the standard engineering performance you've come to expect from Kohler. An advanced fuel injection system uses fuel more efficiently, while high-efficiency combustion significantly reduces emissions.

The GENMAC features a soundproof cabin that allows noise propagation of no more than 68 dB (A) at 7 m, this feature makes it suersilenced.

Voltage Regulator AVR

The voltage regulator is indispensable to make the generator work at its best, in fact it needs an electronic control system, an AVR, which guarantees the good working of the machine and of the electric network underneath it.

The purpose of the AVR, in a current generator, is to maintain a stable output. And if its operation is very simple when resistive loads are fed, more complex is the matter in case of mainly



inductive loads: the delayed current opposes the inductor magnetic field, causing a voltage drop at the alternator output terminals; to compensate the phenomenon, the regulator intervenes automatically increasing the excitation current, until the output returns to the nominal value. If the load is capacitive, the current magnetizes the inductor causing an increase in the output voltage, and the AVR intervenes by reducing the excitation current

TECHNICAL FEATURES GENMAC Living RG7KS-M5 7.2KVA

Phase Type: Single Phase

Continuous Power: 6.9KVA / 6.2KW Maximum Power: 7.2KVA / 6.5KW

Motor: Kohler KDW1003 Emission Standard: Stage V

Start: Electric

Power supply: Diesel

Socket panel: 1 x Schuko 16A 230V - 1 x 32A 230V - 1 x 63A 230V

Voltage: 230V Frequency: 50 Hz Motor speed: 1500

Motor speed: 1500 rpm Tank capacity: 76 l

Autonomy @ 75%: 38 h fixed rpm

Voltage regulator: AVR

Acoustic pressure @7m: 61 dBa

Length (mm): 1056 Width (mm): 590 Height (mm): 1442 Dry weight (Kg): 385

If you are looking for another product then you can see on our catalog other ground generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 6.5 Continuous power single phase (KW): 6.2 Maximum power single phase (KVA): 7.2 Continuous power single phase (KVA): 6.9

Fuel: Diesel



Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 63A 2P+T CEE - 1 x 230V 32A 2P+T CEE - 1 x 230V 16A 2P+T

CEE

Engine: Kohler KDW1003

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500 Starting system: Electric

Cooling: Water

Poles: 2

Fuel tank capacity (L): 76 Running time (h): 38

Acoustic pressure: 61 dB(A) at 7 m

Length (mm): 1056 Width (mm): 590 Height (mm): 1442 Dry weight (Kg): 380

Silenced: Yes

Super silenced: Yes

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Kohler

