



HONDA Outboard BF 175D XDU SILVER 128.7kW

Product price:

15,940.00 € tax excluded

Product description:

HONDA OUTBOARD BF175D XDU SILVER EXTRALONG LEG

Honda BF175D XDU SILVER outboard engines are perfect for professional use, they are reliable, compact and lightweight complete with PGM-IG electronic fuel injection system.

Honda BF175D XDU SILVER are optimized to offer more power for a wide range of different boats. The firm, smooth power this advanced technology offers is sure to put a smile on your face as you venture out on the water.

VTEC[™] is an efficient system included in the Honda BF175D XDU outboard that keeps fuel consumption down while delivering an exciting increase in power. In the Honda BF175D XDU SILVER it works by using two different cams:

- 1) When the engine is running at low rpm, the valves are operated by a cam less aggressively ensuring low fuel consumption and excellent performance.
- 2) As the engine speed increases to 5000 rpm, the VTEC™ system hydraulically operates a cam with a higher lift profile. This keeps the valves open longer, getting more air into the combustion chamber to produce optimum power, just like in a Formula One race car.

Honda BF175D XDU is equipped with the special ECOmo low-blend combustion control system that delivers significant fuel economy from revs and performance. Much less fuel is consumed once rpm is reached. ECOmo is a poor-blend combustion control system that delivers significant fuel savings from RPM and performance.

Honda BF175D XDU are large displacement engines, featuring high torque value at all operating speeds, give high acceleration and exceptional top speeds. Honda's exclusive BLAST, PGM-FI, VTEC (for BF225 and BF250) and ECOmo technologies, together with the performance of the foot-mounted gearbox, ensure smooth power delivery with minimal hydrodynamic resistance.

These are the features of Honda's large displacement engines.



HONDA BF175D XDU SILVER TECHNICAL FEATURES

Net Power (kW): 128.7 Net Power (Hp): 175 Displacement: 3583 cm³ Shaft Length: Extra Long Dry Weight (Kg): 287

Firing: Electric

Initiation System: Electronic PGM-IG

Type of Control: Remote Engine trim and lift: Electric Transom height (mm): 635

Length (mm): 920 Width (mm): 660 Height (mm): 1800

Bore x stroke: 89 x 96 mm

Mark Engine: Honda Engine Type: OHC V5 Number of cylinders: 5

RPM at full throttle (rpm): 5000-6000

Cooling system: Water

Battery charging capacity (A): 60 Exhaust system: Propeller hub Propeller rotation: Normal

Are you looking for an outboard with different technical specifications? <u>Here</u> you can find the full range of Honda or other specialized brands.

The images are purely indicative.

Product features:

Fuel: Gasoline Engine: OHC V5

Ignition: Electronic PGM-IG Starting system: Electric Engine capacity (cm³): 3583

Number cylinders: 5

Cylinders' position: V to 90° Cooling: Water (with thermostat) Bore x stroke (mm): 89 x 96

Rpm at full throttle (rpm): 5000 - 6000 Appearance and engine lifting: Electric



Transom height (mm): 635

Net power (kW): 128.7

Length (mm): 920 Width (mm): 660 Height (mm): 1800 Dry weight (Kg): 287

Shaft Length: X
Controls: Remote

