



# LARIUS GHIBLI 30:1 AIRLESS PUMP MIST- LESS NOZZLE

Product price:

**2,380.00 € tax excluded**

## Product description:

### LARIUS GHIBLI 30:1 AIRLESS PUMP

The pump LARIUS GHIBLI 30:1 is used for high-pressure painting without the aid of air (hence the term AIRLESS) and is capable of delivering a maximum flow rate of 3.8 l/m.

The LARIUS GHIBLI 30:1 pump is essentially made up of an air motor and a structure called "Material pumping group" or more simply "Pumping group". In the air motor, the compressed air generates the reciprocating vertical movement of the motor piston; this movement is transmitted via a connecting rod to the piston of the material pumping unit.

This causes the pump to suck in the material or push it towards the outlet. LARIUS GHIBLI 30:1 includes the transport trolley, the high-pressure material filter, the pump supply air regulator, the material suction hose (complete with filter) and the recirculation hose. The 30:1 ratio means that the material outlet pressure is 30 times the pump supply air pressure.

LARIUS GHIBLI 30:1 in the stainless steel version is particularly suitable for water-soluble coatings ("water-based coatings").

The LARIUS GHIBLI 30:1 pump is equipped with a trolley complete with handle that allows for convenient and easy transportation.

### TECHNICAL FEATURES OF THE LARIUS GHIBLI 30:1 PUMP

Maximum flow rate: 3,8 l/m

Max. supply air pressure: 7 bar



Max. working pressure: 210 bar

Supply air inlet: 1/2" GAS (F)

Inlet: 3/4" GAS C (M)

Outlet: 3/8" GAS C (F)

Air consumption: 3 bar 400 l/m, 5 bar 800 l/m, 7 bar 850 l/m

Sound pressure level: 80 dB (A)

Motor diameter: 180 mm (4 1/4")

Piston stroke: 102 mm (4")

c.c. Cycle: 60

N° cycles/m: 60

N° cycles/l: 16

Gaskets PTFE + Polyethylene

Weight: 25 kg

Height: 930 mm

Width: 450 mm

Depth: 450 mm

#### ACCESSORIES INCLUDED IN THE DELIVERY

Ghibli 30:1 Mist-less

High pressure hose Ø 1/4" M16x1.5 mt. 7.5 (cod. 35014)

Mist-less manual gun

#### ACCESSORIES INCLUDED IN THE SUPPLY

Airless spray gun AT250 with M16x1.5 swivel connection (cod. 11200)

High pressure hose Ø 1/4" M16x1.5 mt. 7.5 (cod. 35014)

Super Fast Clean base (cod. 18270)

Super Fast Clean nozzle (cod. SFC)

Kit tools

Looking for an electric pump with different features? [Here](#) you can find the entire range of LARIUS or other specialized brands

Images and technical data are not binding and may be subject to revision by the supplier

#### Product features:

Frequency (Hz): 50

Voltage (V): 230

Maximum output capacity (Lt/min): 4

Pressure (bars): 210 Max

Length (mm): 450

---



Shop name

---

Width (mm): 450  
Height (mm): 930  
Dry weight (Kg): 25  
Version: Trolley  
Type of pumping group: Piston



---

PrestaShop