VETUS GHX8SIC MARINE GENERATOR 8KVA

Product price:

9.434,00 € tax excluded

Product description:

VETUS GHX8SIC MARINE GENERATOR 8KVA

VETUS GHX8SIC is an 8 KVA single-phase boat marine generator with a water-cooled, 3000 rpm diesel powered M2.18 engine with automatic control panel.

VETUS GHX8SIC marine operates at a fixed number of engine revolutions, and can be placed even in small spaces due to their compact size. The high quality design, insulation and materials of the marine generators in this range ensure reliability and durability.

All VETUS GENERATOR GHX8SIC come with the handy digital control panel, with which the user can automatically start or turn off the marine generator.

The alternator of the VETUS GHX8SIC is brushless, with **AVR voltage regulator**, class H insulation and IP 44 protection rating of internal parts. The AVR voltage regulator avoids voltage surges and does not allow to burn sensitive electronic devices such as pc, smartphone or appliances in general.

The VETUS GHX8SIC thanks to its AVR voltage regulator is a robust worker. Thanks to the pure sine wave, this marine generator is suitable for use in combination with electronic components such as a computer. In other words, a compact and reliable companion for your boat.

TECHNICAL FEATURES VETUS GHX8SIC marine generator:

Maximum single-phase power (KW): 8
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Motor: M2.18
Cooling: Water

Engine speed: 3000 rpm
Starting: Automatic
Acoustic power: 65 dB (A)
Protection class: IP 44
Insulation class: H
Length: 844 mm
Width: 659 mm
Height: 571 mm
Weight: 185 Kg
Main current (A): 32A

Reliability: the Vetus generator is designed to offer years of reliable service.

Versatility: the Vetus generator can be used for a wide range of applications.

Competitive price: the Vetus generator offers good value for money.

Are you looking for a marine generator VETUS for boats with different technical characteristics? Here you can find the whole range of VETUS GHX8SIC or other brands specializing in this field.

Images and technical data are not binding and may be subject to revision by the supplier.

Product features:

Phase: Single phase
Continuous power single phase (KW): 8
Frequency (Hz): 50 / 60
Emissions Regulations: Non Emissionati
Engine rpm (rpm): 3000
Starting system: Electric
Cooling: Water
Alternator: Synchronous, brushless
Acoustic power: 65 dB (A)
Length (mm): 844
Width (mm): 659
Height (mm): 571
Dry weight (Kg): 185
Product type: Generator
Voltage regulator: AVR