



## BLACK+DECKER BXGNI950E SINGLE PHASE INVERTER GENERATOR 0,75 KW

## **Product description:**

BLACK+DECKER BXGNI950E 0,75KW GENERATOR

BLACK+DECKER BXGNI950E is a 0,75KW Single Phase Generator with a 40cc 4-stroke gasoline engine, compact and easy to use.

The BLACK+DECKER BXGNI950E Generator is equipped with an alternator with AVR regulation, and is ideal for all electronic devices thanks to the Inverter technology. The BLACK+DECKER BXGNI950E is the lightest generator on the market at 9kg.

The BLACK+DECKER BXGNI950E Generator is equipped with manual recoil starter, in addition this generator has a low fuel consumption, in fact rieshe to ensure an autonomy of 4.5 hours at full load

BLACK+DECKER BXGNI950E is easily adaptable to various uses such as homes, mobile homes, campsites, hobbies, construction sites, etc..

Thanks to the inverter technology and the AVR voltage regulator of the latest generation, the generator is super silenced, BLACK+DECKER BXGNI950E in fact has a noise emission of only 87 dB (A).

The BLACK+DECKER BXGNI950E Generator is equipped with a front panel consists of 1 Schuko socket with 230V power supply with pure sine wave, 1 cigar lighter and 2 USB 5V DC sockets.

## TECHNICAL CHARACTERISTICS BLACK+DECKER BXGNI950E:

Phase type: Single phase Maximum power: 0,9 KW





Continuous power: 0,75 KW

Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz

Engine: 4 Strokes 40 cc

Starting: Manual recoil starter

Voltage regulator: AVR Tank capacity: 2.1 Lt

Autonomy: 4.5 h at 100% load

Length: 425 mm Width: 245 mm Height: 370 mm Weight: 9 Kg

Discover the full range of generator brand BLACK+DECKER or other top brands, browse our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

## **Product features:**

Phase: Single phase

Maximum power single phase (KW): 0.9 Continuous power single phase (KW): 0.75 Maximum power single phase (KVA): 0.9 Continuous power single phase (KVA): 0.75

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230 Engine: 4 stroke

Emissions Regulations: Stage 5

Starting system: Pull starter with recoil

Engine capacity (cm³): 40 Fuel tank capacity (L): 2.1 Running time (h): 4.5 Acoustic power: 87 dB(A)

Length (mm): 425 Width (mm): 245 Height (mm): 370 Dry weight (Kg): 9





Silenced: Yes

Super silenced: Yes
Product type: Generator
Voltage regulator: AVR + Inverter

