

Ø.

# BLACK+DECKER BXGNI6500E SINGLE PHASE INVERTER GENERATOR 6KW

Product price:

## 1.896,72 € tax excluded

#### Product description:

BLACK+DECKER BXGNI6500E 6KW GENERATOR

BLACK+DECKER BXGNI6500E is a 6KW single-phase Generator with a 389cc 4-stroke gasolinepowered engine, compact and easy to use.

The BLACK+DECKER BXGNI6500E is equipped with an AVR regulated alternator, and is ideal for all electronic devices due to its Inverter technology.

The single phase generator is equipped with automatic start and can be, at the customer's discretion, coupled with an ATS panel (NOT included in the offer). This generator set has a low fuel consumption, in fact it can guarantee an autonomy of 4.5 hours at full load.

BLACK+DECKER BXGNI6500E thanks to its only 89kg and an extremely compact body, the use and handling of this machine will be extremely simple. Thanks to its characteristics it is easily adaptable to various uses such as homes, mobile homes, campsites, hobbies, construction sites, etc..

Thanks to the inverter technology and the AVR voltage regulator of the latest generation, the generator is super silenced, BLACK+DECKER BXGNI6500E in fact has a noise emission of only 95 dB (A).

The single-phase generator BLACK+DECKER BXGNI6500E is equipped with a frontal electric panel composed by a digital display with hour counter and the connector for the connection with an ATS panel. The electrical panel is also equipped with 1 socket 32A 3P, 2 Schuko sockets with 230V power supply with pure sine wave, 1 cigar lighter and 2 USB 5V DC sockets.

### TECHNICAL FEATURES BLACK+DECKER BXGNI6500E :

PrestaShop

R

Type of phase: Single-phase Maximum power: 6.5 KW Continuous power: 6 KW Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz Engine: 4 Strokes 389 cc Starting: Electric with battery / Automatic Acoustic Power: 95 dB(A) Voltage regulator: AVR Tank capacity: 8.5 Lt Autonomy: 4.5 h at 100% load Length: 800 mm Width: 590 mm Height: 670 mm Weight: 89 Kg

Discover the full range of generator brand BLACK+DECKER or other top brands, browse our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

#### **Product features:**

Ø.

Phase: Single phase Maximum power single phase (KW): 6.5 Continuous power single phase (KW): 6 Maximum power single phase (KVA): 6.5 Continuous power single phase (KVA): 6 Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230 Engine: 4 stroke **Emissions Regulations: Stage 5** Starting system: Electric Engine capacity (cm<sup>3</sup>): 389 Fuel tank capacity (L): 8.5 Running time (h): 4.5 Acoustic power: 95 dB(A) Length (mm): 800 Width (mm): 590 Height (mm): 670 Dry weight (Kg): 89

R



Silenced: Yes Super silenced: Yes Product type: Generator ATS Switch device : Optional Voltage regulator: AVR + Inverter Video: ZX5zDBJ5e5k

R