



GREEN POWER GP280S/B THREE-PHASE GENERATOR 270KVA

Product price:

21,890.00 € tax excluded

Product description:

GREEN POWER GP280S/B THREE-PHASE GENERATOR 270KVA

Generator GREEN POWER GP280S/B Three-phase 275 KVA with a Baudouin 6M16G275-5 diesel-powered engine and a tank with a maximum capacity of 265 l.

The generator's LINZ PRO28S D/4 alternator is a 4-pole, three-phase, self-excited, brushless alternator with class H insulation. This alternator is equipped with an AVR voltage regulator that allows you to adjust the output voltage making the current "clean" and stable almost like home current.

The GREEN POWER GP280S/B is built with large access doors to allow for easy maintenance (air, oil, fuel filter replacement) as well as a practical drilled base and 4 feet with holes for ground mounting. The generator consists of a carbon steel shet enclosure, electro-welded to reduce noise emissions that makes it supersilenced.

The GREEN POWER GP280SM/B generator with 275-liter tank has a fuel consumption of 42.2 liters/hour at 75% load.

Technical features of the GREEN POWER GP280S/B generator:

Phase Type: Three Phase Maximum Power: 275 KVA Continuous Power: 250 KVA Maximum Power: 220 KW Continuous Power: 200 KW

Fuel: Diesel Voltage: 400 V Frequency: 50 Hz

Motor: Baudouin 6M16G275-5



Motor RPM: 1500 rpm Boosting: Electric

Consumption at 75% load: 42. 2 l/h

Tank Capacity: 265 I

Acoustic Power. 70 dB(A) at 7m

Length: 3800 mm Width: 1200 mm Height: 2090 mm Dry weight: 2700 Kg Voltage regulator: AVR

Super-silenced

If you are looking for another product like this generator GREEN POWER then you can see on our catalog other generator.

Images and technical data are not binding.

Product features:

Phase: Three phase

Maximum power three phase (KW): 220 Continuous power three phase (KW): 200 Maximum power three phase (KVA): 275 Continuous power three phase (KVA): 250

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Engine: Baudouin 6M16G275-5

Emissions Regulations: Not Emissioned

Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Electric Engine capacity (cm³): 9726 Cylinders' position: In line

Cooling: Water

Alternator: LINZPRO28S D/4

Poles: 4



Fuel tank capacity (L): 265

Consumption (L/h): 42 al 75% del carico Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 3800 Width (mm): 1200 Height (mm): 2090 Dry weight (Kg): 2700

Silenced: Yes

Super silenced: Yes

ATS Switch device : Optional

Voltage regulator: AVR

