



MASE VS 8.6 DV MARINE GENERATOR DUAL VOLTAGE 8KW

Product price:

22,350.00 € tax excluded

Product description:

MASE VS8,6 DV SINGLE-PHASE MARINE GENERATOR 8KW

Generator marine DUAL VOLTAGE MASE VS8,6 DV equipped with a Kubota Z602 engine with Diesel power supply and variable speed regulation, capable of delivering a power of 8KW.

The MASE VS8,6 DV marine generator is designed with a soundproof cabin that makes it **supersilenced**. The marine generator is built with Kubota diesel-powered engine and permanent magnet alternator with air/water cooling. With its small size, it is also suitable on small boats.

The MASE VS8,6 CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. MASTER CBU 93x93mm (3.66x3.66 in) very compact module, with multiple functions for complete monitoring of the marine generator MASE VS8,6 DV:

The sound-proof cabin of the MASE generator has been realized with painted marine aluminum panels, combining an innovative design with a very high resistance to external agents. Thanks to its structure, a low weight and an excellent accessibility to the internal compartment are guaranteed, making maintenance operations easy, even with installations carried out in narrow spaces.

TECHNICAL FEATURES MARINE GENERATOR MASE VS8,6 DV

Phase Type: Single Phase Power continuous use: 8 KW

Fuel: Diesel

Voltage: 230 V / 240 V Frequency: 50/60 Hz Engine: Kubota Z602



Mechanical Power: 14.5 Hp Number of cylinders: 2

Displacement: 599 cc

Speed governor: Electric with actuator

Engine revs: 2100 ÷ 3150 rpm Acoustic power: 54 dBA @ 7 m

Length: 650 mm Width: 468 mm Height: 555 mm Weight: 179 Kg

If you are looking for another generator like the MASE then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Continuous power single phase (KW): 8

Fuel: Diesel

Frequency (Hz): 50 / 60 Voltage (V): 230 / 240 Engine: Kubota Z602

Engine rpm (rpm): 2100 ÷ 3150 Speed governor: Electronic Engine capacity (cm³): 599

Number cylinders: 2 Oil capacity (L): 2.5

Cooling: Air / water (Intercooler W/A)

Inyección: Indirect

Alternator: Permanent magnets Bore x stroke (mm): 72 x 73.6

Lubrication: Forced

Acoustic pressure: 54 dB(A) at 7 m

Length (mm): 650 Width (mm): 468 Height (mm): 555



Dry weight (Kg): 179

Silenced: Yes

Super silenced: Yes Product type: Generator
Voltage regulator: No
Engine manufacturer: Kubota

