



CGM CS13000T THREE-PHASE GENERATOR STAGE V 13KVA

Product price:

5.475,00 € tax excluded

Product description:

CGM CS13000T THREE-PHASE STAGE V 13KVA GENERATOR

CGM CS13000T Three-phase generator 13KVA with BRIGGS & STRATTON engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use.

The CGM CS13000T generator consists of an NSM Made in Italy, self-excited brushless alternator with **AVR** voltage regulator. The generator is equipped with electric start with battery that allows a practical and fast use even when cold. The CGM CS13000T has a low fuel consumption, in fact it consumes only 4,9 liters/hour at 75% of the load.

The CGM CS13000T is part of the QUIET series because thanks to the hood has low noise emissions and is supersilenced. This generator is 3000 RPM, with BRIGGS & STRATTON diesel engine with electric start with key and battery.

Technical features of the CGM CS13000T:

Phase Type: Three Phase
Maximum Power: 11,4KW
Continuous Power: 10,4KW
Maximum Power: 14,3KVA
Continuous Power: 13KVA
Fuel: Gasoline
Voltage: 400 V
Frequency: 50 Hz
Engine: BRIGGS & STRATTON 21HP
Cooling: Air
Number of Cylinders: 2
Emission Standard: Stage V
Engine RPM: 3000 rpm



Start: Electric
Alternator: NSM made in Italy
Tension regulator system: AVR
Consumption: 4.9 Lt/h at 75% load
Tank capacity: 50 Lt
Autonomy: 10.2 h at 75% load
Length: 1100 mm
Width: 600 mm
Height: 830 mm
Weight: 224 Kg
Super-silenced

Discover the full range of current generator of CGM on our catalog to find the one that best suits your needs.

Pictures and technical data not binding.

Product features:

Phase: Three phase
Maximum power three phase (KW): 11.4
Continuous power three phase (KW): 10.4
Maximum power three phase (KVA): 14.3
Continuous power three phase (KVA): 13
Fuel: Gasoline
Frequency (Hz): 50
Voltage (V): 400
Sockets configuration: n.1 presa CEE 16A 3P 230V, n.1 presa CEE 32A 3P 230V, n. 1 presa CEE 32A 5P 400V
Engine: BRIGGS & STRATTON 21HP
Emissions Regulations: Stage 5
Engine rpm (rpm): 3000
Starting system: Electric
Engine capacity (cm³): 627
Number cylinders: 2
Cooling: Air
Alternator: NSM, made in Italy
Fuel tank capacity (L): 50
Consumption (L/h): 4.9 at 75% of the load





Running time (h): 10,2 al 75% del carico
Length (mm): 1100
Width (mm): 600
Height (mm): 830
Dry weight (Kg): 224
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: AVR
Engine manufacturer: Briggs&Stratton

