



# MASE IS 14.6 MARINE GENERATOR SINGLE-PHASE 14.6KW

**Product price:** 

14,700.00 € tax excluded

## **Product description:**

## MASE IS 14.6 K SINGLE-PHASE MARINE GENERATOR 14.6KW

MASE IS14,6K single phase marine generator with KUBOTA D1703 engine with diesel power supply at 1800 rpm capable of delivering a power of 14.6KW.

The MASE IS14,6K is designed with a soundproof cabin that makes it **over-silenced**. The MASE IS14,6K marine generator is built with KUBOTA diesel-powered engine and synchronous alternator, self-excited with air/water cooling. With its small size, it is also suitable for small boats.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS14.6K.

The soundproof cabin of the MASE IS14,6K is made up of an aluminum profile structure that supports panels in marine aluminum painted type 5754 extremely light and with high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance easier even with the genset installed in narrow spaces.

### **Technical Features:**

Phase Type: Single Phase Maximum Power: 14.6KW

Fuel: Diesel

Voltage: 120 / 240 V Frequency: 60 Hz

Motor: KUBOTA D1703, 4 Stroke

Length: 985 mm Width: 585 mm



Height: 730 mm Weight: 400Kg

If you are looking for another generator like the MASE IS14,6K then you can browse the entire catalog of <u>marine generators</u>.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 14.64

Fuel: Diesel

Frequency (Hz): 60 Voltage (V): 120 / 240

Engine: KUBOTA D1703-BG Engine rpm (rpm): 1800

Speed governor: Centrifugal, mechanical

Engine capacity (cm<sup>3</sup>): 1500

Number cylinders: 3

Cooling: Air / water (Intercooler W/A)

Inyección: Indirect

Alternator: Synchronous, self-excited

Poles: 4

Lubrication: Forced Consumption (L/h): 4.5

Acoustic pressure: 50 dB(A) at 7 m

Length (mm): 985 Width (mm): 585 Height (mm): 730 Dry weight (Kg): 400

Inverter: No AVR: No

Compound: No Silenced: Yes



Super silenced: Yes

