



## MASE MARINER 1350 KS SINGLE PHASE SILENCED MARINE GENERATOR 12.5 KW

**Product price:** 

19,250.00 € tax excluded

## **Product description:**

## MASE MARINER 1350 KS SILENCED SINGLE-PHASE MARINE GENERATOR 12.5 KW

MASE MARINER1350KS single phase silenced marine generator is equipped with a KUBOTA D1703 diesel engine capable of delivering a maximum power of 12.5 KW at 1500 rpm.

The MASE MARINER1350KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable for small boats.

The MASE MARINER1350KS allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto shutdown for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER1350KS is a 4-pole synchronous, self-regulated, self-excited, brushless alternator, which in combination with the powerful KUBOTA engine can deliver a maximum power of 12.5 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER1350KS is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 50 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

Technical Features MASE MARINER1350KS

Phase Type: Single Phase Maximum Power: 12.5 KW



Fuel: Diesel

Voltage: 115 - 230 V Frequency: 50 Hz

Engine: KUBOTA D1703, 4 Stroke

Mechanical Power: 19.4 Hp Number of Cylinders: 3 Displacement: 1500 cc

Rev Regulator: Centrifugal Mechanical

Engine RPM: 1500 rpm Fuel Consumption: 4. 1 l/h

Sound pressure: 50 dB(A) @ 7 m Alternator: Synchronous Brushless

Voltage regulator: AVR

Length: 1040 mm Width: 631 mm Height: 694 mm Weight: 390 Kg

If you are looking for another marine generator then you can browse the entire catalog of <u>marine</u> <u>generators</u>.

Images and technical data are not binding.

## **Product features:**

Phase: Single phase

Maximum power single phase (KW): 12.5

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 115 / 230

Engine: KUBOTA D1703, 4 Tempi

Engine rpm (rpm): 1500

Speed governor: Centrifugal, mechanical

Engine capacity (cm<sup>3</sup>): 1500

Number cylinders: 3

Cooling: Air

Inyección: Indirect

Alternator: Synchronous, self-excited

Poles: 4

Lubrication: Forced



Consumption (L/h): 4.1 at 100% of the load

Acoustic pressure: 50 dB(A) at 7 m

Length (mm): 1040 Width (mm): 631 Height (mm): 694 Dry weight (Kg): 390

Inverter: No AVR: Yes

Compound: No Silenced: Yes

Super silenced: Yes Product type: Generator Voltage regulator: AVR

Engine manufacturer: Kubota

