



MASE MARINER 2200 KS SINGLE PHASE SILENCED MARINE GENERATOR 22 KW

Product price:

28,550.00 € tax excluded

Product description:

MASE MARINER 2200 KS SILENCED SINGLE-PHASE MARINE GENERATOR 22 KW

MASE MARINER2200KS single phase silenced marine generator is equipped with a Kubota V2403 diesel engine capable of delivering a maximum power of 22 KW at 1500 rpm.

The MASE MARINER2200KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable for small boats.

The MASE MARINER2200KS allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER2200KS is synchronous with 4 poles, self-regulated, self-excited, brushless, which in coupling with the powerful KUBOTA engine can deliver a maximum power of 22 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER2200KS marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 49 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER2200KS

Phase Type: Single Phase Maximum output: 22 KW

Continuous Use output: 20 KW



Fuel: Diesel

Voltage: 115 - 230 V Frequency: 50 Hz

Engine: Kubota V2403, 4 Stroke Mechanical Power: 29.5 Hp Number of Cylinders: 4 Displacement: 2434 cc Engine RPM: 1500 rpm

Sound pressure: 49 dB(A) @ 7 m Alternator: Synchronous Brushless

Voltage regulator: AVR

Fuel Consumption: 6. 1 I/h

Length: 1135 mm Width: 631 mm Height: 694 mm Weight: 465 Kg

If you are looking for another marine generator then you can browse the entire catalog of <u>marine</u> generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 22 Continuous power single phase (KW): 20

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 115 / 230

Engine: Kubota V2403, 4 Tempi

Engine rpm (rpm): 1500 Speed governor: Electronic Engine capacity (cm³): 2434

Number cylinders: 4

Cooling: Air

Inyección: Indirect

Alternator: Synchronous, self-excited

Poles: 4

Lubrication: Forced

Consumption (L/h): 6.2 at 100% of the load



Acoustic pressure: 49 dB(A) at 7 m

Length (mm): 1135 Width (mm): 631 Height (mm): 694 Dry weight (Kg): 465

Inverter: No AVR: Yes

Compound: No Silenced: Yes

Super silenced: Yes Product type: Generator Voltage regulator: AVR

Engine manufacturer: Kubota

