



MASE MARINER 2700 KS SINGLE PHASE SILENCED MARINE GENERATOR 29 KW

Product price:

32,950.00 € tax excluded

Product description:

MASE MARINER 2700 KS SILENCED SINGLE-PHASE MARINE GENERATOR 29 KW

MASE MARINER2700KS Silenced single phase marine generator is equipped with a KUBOTA V3300 diesel engine capable of delivering a maximum power of 29 KW at 1500 rpm.

The MASE MARINER2700KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable even on small boats.

The MASE MARINER2700KSalternator is a 4-pole synchronous, self-regulated, self-excited, brushless alternator, which in combination with the powerful KUBOTA engine can deliver a maximum power of 29 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER2700KS marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 54 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER2700KS

Phase Type: Single Phase Maximum Power: 29 KW

Fuel: Diesel

Voltage: 115 - 230 V Frequency: 50 Hz

Motor: KUBOTA V3300, 4 Stroke Mechanical Power: 38. 8 Hp



Number of Cylinders: 4 Displacement: 3318 cc Engine RPM: 1500 rpm Fuel Consumption: 11 l/h

Sound Pressure: 54 dB(A) @ 7 m Alternator: Synchronous Brushless

Voltage Regulator: AVR

Length: 1310 mm Width: 640 mm Height: 830 mm Weight: 630 Kg

If you are looking for another marine generator then you can browse the entire catalog of <u>marine</u> <u>generators</u>.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 29

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 115 / 230

Engine: Kubota V2403, 4 Tempi

Engine rpm (rpm): 1500 Speed governor: Mechanical

Engine capacity (cm³): 3318

Number cylinders: 4

Cooling: Air

Alternator: Synchronous, self-excited

Poles: 4

Lubrication: Forced

Consumption (L/h): 7.6 at 100% of the load

Acoustic pressure: 54 dB(A) at 7 m

Length (mm): 1310 Width (mm): 640 Height (mm): 830 Dry weight (Kg): 630

Inverter: No AVR: Yes



Compound: No Silenced: Yes

Super silenced: Yes Product type: Generator
Voltage regulator: AVR
Engine manufacturer: Kubota

