



# ITALTOWER ORUS PRO02 LIGHTING TOWER 4x160 W MULTILED



## Product description:

### ITALTOWER ORUS PRO02 LIGHTING TOWER 4x160 W MULTILED

The ITALTOWER ORUS PRO02 light tower is equipped with 4 MultiLED projectors 160W each, capable of illuminating an area of 3200 square meters with a maximum luminous intensity of 81400 lm.

The ITALTOWER ORUS PRO02 **does not** have an internal generator, but in return can be effectively powered by an external source such as a generator set or can be connected directly to the power grid.

ITALTOWER ORUS PRO02 is equipped with a manual winch lifting system, with an anti-fall pin safety system on each extension to ensure maximum safety once fully open. The efficient lifting system is able to bring the projectors to a height of 9.5 m, combined with 4 LED lamps, the ITALTOWER ORUS PRO02 can illuminate an area of 3200 square meters with a maximum luminous intensity of 81400 lm.

Its powerful lights combined with its compact design allow you to optimize any space making this tower a product of high quality and effectiveness. The 4 stabilizers make it wind resistant up to 110 km/h and ideal for any surface.

## TECHNICAL CHARACTERISTICS ITALTOWER ORUS PRO02

Number of lights: 4

Lamps power: 160 W multiLED



Lumen: 81400 lm  
Illuminated area: 3200 mq  
Phase type: Single phase  
Voltage: 230 V  
Frequency: 50 Hz  
Output: 230 V 16A  
Maximum height: 9,5 m  
Lifting system: Manual  
Rotation: 355°  
Wind Resistance: 110 Km/h  
Trolley: Stationary  
Outriggers: 4  
Length (mm): 1200  
Width (mm): 1000  
Height (mm): min 2200 - Max 9500  
Dry weight (Kg): 340

Are you looking for a light tower with different characteristics? [Here](#) you can find the full range of towers ITALTOWER or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer

#### **Product features:**

Phase: Single phase  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 230 V 16 A  
Type of lamps: MULTILED  
Lamps: 4 x 160 W  
Telescopic pole: Vertical  
Illuminated area (m<sup>2</sup>): 3200  
Total lumens (Lm): 81400  
Lifting System: Hydraulic lifting system  
Maximum height (m): 9.5  
Mast rotation: 355°  
Closed size (mm): 1200 x 1000 x 2200  
With generator / Without generator: Without generator  
Transportability: Stationary  
Stability to wind (Km/h): 110  
Weight (Kg): 340



Shop name

---



PrestaShop