



# ITALTOWER URANO PRO03 LIGHT TOWER 4x320 W MULTILED WITH HOMOLOGATED TROLLEY HYDRAULIC LIFTING

Product price:

**8,878.00 € tax excluded**

## Product description:

### **ITALTOWER URANO PRO03 LIGHTER TOWER 4x320 W MULTILED WITH HOMOLOGATED TROLLEY HYDRAULIC LIFTING**

ITALTOWER URANO PRO03 is a tower light with approved trolley capable of housing a generator of 720 x 1680 mm, to power 4 Multiled Projectors 320W each.

The ITALTOWER URANO PRO03 MULTILED tower is equipped with a hydraulic lifting system, able to bring the tower to a height of 8.5 m. Thanks to the 4 LED lamps ITALTOWER URANO PRO03 is able to illuminate an area of 4300 square meters with a maximum luminous intensity of 166200 lm.

The main feature of this tower is the possibility to use any generator, of any brand, up to 720 x 1680 mm. This is thanks to 2 sliding bars that can be adjusted according to the size of the unit, making ITALTOWER URANO PRO03 an extremely flexible and versatile light tower. Moreover, thanks to its 4 stabilizers, the ITALTOWER URANO is safe and balanced in any situation, allowing you to always work in the best conditions.

ITALTOWER URANO PRO03 is easy to transport, ideal for night work on road construction sites. Equipped with all road approvals, they can be towed as a road trolley or transported by truck. Suitable for construction sites in remote areas without power grid and in urban centers where the public lighting is not sufficient.

## TECHNICAL FEATURES ITALTOWER URANO PRO03



Number of lights: 4  
Lamps power: 320 W LED  
Lumen: 166200 lm  
Lit area: 5000 mq  
Voltage: 230 V  
Frequency: 50 Hz  
Consumption: 1,3 KW  
Maximum height: 8,5m  
Lifting system: Hydraulic  
Rotation: 350°  
Wind resistance: 110 Km/h  
Trolley: HOMOLOGATED tow truck  
Tire size: 185/70R13  
Generator box: 720 x 1680 mm  
Stabilizers 4 + 1  
Length (mm): 2125  
Width (mm): 1202  
Height (mm): 2335  
Dry weight (Kg): 340

.

Looking for a light tower with different features? [Here](#) you can find the full range of towers ITALTOWER or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer

.

#### **Product features:**

Phase: Single phase  
Frequency (Hz): 50  
Voltage (V): 230  
Type of lamps: MULTILED  
Lamps: 4 x 320 W  
Telescopic pole: Vertical  
Illuminated area (m²): 5000  
Total lumens (Lm): 166200  
Lifting System: Manual lifting system  
Maximum height (m): 8.5  
Mast rotation: 350°

---



---

Open size (mm): 2125 X 1202 X 8500

Lenght closed (mm): 2125

Width closed (mm): 1202

Height closed (mm): 2335

With generator / Without generator: Without generator

Transportability: Fast Trailer

Stability to wind (Km/h): 110

Weight (Kg): 340