

AURORA LIGHT TOWER ALPHA Y2-L 4X320 - S WITH SLOW TOWING TROLLEY

Product price:

8.044,30 € tax excluded

Product description:

AURORA LIGHTHOUSE TOWER ALPHA Y2-L 4X320 - S WITH TOWING CART

AURORA ALPHA Y2-L 4X320 - S is a light tower with a generator equipped with Yanmar L70Diesel engine and manual hoisting winch with 4 floodlights capable of delivering a light output of 320W each.

AURORA ALPHA Y2-L 4X320 - S is equipped with a galvanized steel lifting tower capable of extending up to a maximum height of 8.5 meters, including 4 stabilization feet to secure the light tower once opened. The lifting system is operated manually and by a hydraulic system that allows maximum extension without effort.

AURORA ALPHA Y2-L 4X320 - S comes with Yanmar L70 engine, this engine is super efficient with 3000 rpm. The AURORA ALPHA light towers in addition guarantee you an autonomy of 180 h of work at 30% of the load.

The AURORA light tower lenses feature extremely special optics designed specifically for the civil engineering and construction sectors. This innovative fully directional LED lens design ensures maximization of light spread and reduction of waste.

A single AURORA ALPHA tower can cover an area of 5000 m2, ensuring a brighter, safer and more productive site. AURORA ALPHA Y2-L 4X320 - S comes complete with a slow moving trolley, which gives the customer the ability to easily transport the light tower.

TECHNICAL CHARACTERISTICS AURORA ALPHA Y2-L 4X320 - S

Manufacturer: Green Power Projectors: 4 320W LEDs

PrestaShop

(R)

Lighted Area: 5000 Sq Ft Max Height: 8.5 Mt Lift: Manual Engine: Yanmar L70 Emissions: Stage V **Fueling: Diesel** Engine RPM: 3000 rpm Telescopic Pole: Galvanized steel Max Wind Resistance: 100 Km/h Wind Stability: nr 4 stabilizers Transport: Slow Towing Trolley Noise level at 7 mt: 70 dB (A) Total lumens: 166200 lm Voltage: 230V Frequency: 50 Hz Autonomy 30% load: 180 hr Closed dimensions: 1154x1118x2430 mm Open dimensions: 2030x2202x8500 mm Dry weight: 560 Kg

Looking for a product with different characteristics? Here you can find the full range Green Power or other specialized brands.

Images and technical data are not binding and may be subject to revision by the supplier.

Product features:

Q.

Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 **Emissions Regulations: Stage 5** Engine rpm (rpm): 3000 Starting system: Electric Type of lamps: LED Lamps: 4 x 320W Telescopic pole: Galvanized steel Illuminated area (m²): 5000 Total lumens (Lm): 166200 Lifting System: Hydraulic lifting system Maximum height (m): 8.5 Mast rotation: 350° Open size (mm): 2030x2202x8500 mm Closed size (mm): 1154x1118x2430 mm

PrestaShop

With generator / Without generator: With generator Transportability: Slow Trailer Stability to wind (Km/h): 100 Km/h Dry weight (Kg): 560 Engine manufacturer: Yanmar L70

R