

MASE MARINER 2900 T THREE-PHASE MARINE GENERATOR 29KVA 60Hz

Product description:

MASE MARINER2900T THREE-PHASE MARINE GENERATOR 29KVA 60Hz

MASE MARINER2900T single/three-phase marine generator equipped with a YANMAR 4TNV98 engine, diesel powered, capable of delivering a maximum power of 29 KW at 1800 rpm.

The MASE MARINER2900T is built with and synchronous alternator, self-excited with air cooling, it is extremely compact, suitable even on small boats.

The alternator of the MASE MARINER2900T is synchronous 4-pole, self-regulated, self-excited, brushless, which in conjunction with the YANMAR engine can deliver a maximum power of 29KVA. The rotor and the stator are coated with epoxy paint to prevent the attack of atmospheric agents, in addition it is equipped with safety systems of self-stop in case of high temperatures detected on the windings. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the marine generator, delivering current like the home one.

The control panel of the marine generator MASE MARINER2900T has been designed in order to reduce, in a single panel, the commands, controls and protections. The elements that compose it are:

- Engine protection module for automatic shutdown in case of high water temperature, low oil pressure, high alternator temperature;

- Hour meter;

- Circuit breaker for protection in case of overload or short circuit;
- Thermal circuit breaker for DC circuit protection.

TECHNICAL FEATURES MASE MARINER2900T:

Phase Type: Single Phase / Three Phase

Maximum Power: 29 KVA Maximum Power: 23. 2 KW Fuel: Diesel Voltage: 240 / 480 V Frequency: 60 Hz Alternator: Synchronous, 4-pole Voltage Regulator: AVR Motor: YANMAR 4TNV98, 4 Stroke Mechanical output: 56 Hp Number of Cylinders: 4 Displacement: 3319 cc **RPM Regulator: Mechanical Centrifugal** Engine RPM: 1800 rpm Fuel Consumption: 10. 4 l/h Length: 1202 mm Width: 590 mm Height: 753 mm Weight: 565 Kg

Looking for a marine generator with different technical features? Here you can find the full range of marine generators MASE or other specialized Brands.

Images and technical data are not binding.

Product features:

Ø.

Phase: Single phase / Three phase Maximum power three phase (KW): 23.2 Maximum power three phase (KVA): 29 Fuel: Diesel Frequency (Hz): 60 Voltage (V): 240 / 480 Engine: YANMAR 4TNV98 Engine rpm (rpm): 1800 Speed governor: Centrifugal, mechanical Engine capacity (cm³): 3319 Number cylinders: 4 Cooling: Air Invección : Direct Alternator: Synchronous, self-excited Poles: 4 Lubrication: Forced Consumption (L/h): 10.4

R

Length (mm): 1202 Width (mm): 590 Height (mm): 753 Dry weight (Kg): 565 Inverter: No AVR: Yes Compound: No Silenced: No Super silenced: No Voltage regulator: AVR Engine manufacturer: Yanmar

R