



# SCHENKER WATERMAKER MODULAR 230 TOUCH INVERTER 230 LT/H

**Product price:**

**15.853,00 € tax excluded**

## **Product description:**

SCHENKER WATERMAKER MODULAR 230 TOUCH INVERTER 230 LT/H

SCHENKER MODULAR 230 TOUCH is a watermaker equipped with two membranes of 4" x 40" thanks to which it is able to deliver 230 l/h of osmosis water.

Thanks to the very low power consumption, the SCHENKER MODULAR 230 TOUCH can be powered directly from the batteries. It is possible to install the watermaker also in the absence of the generating set.

Because of the 80% lower power consumption and the lack of a generator, the CO2 emissions required for water production are reduced by more than 85%. Only the SCHENKER MODULAR 230 TOUCH allows you to make water and truly respect the environment.

Operation of the SCHENKER MODULAR 230 TOUCH is extremely simple, as no adjustment is required. In fact, all systems are equipped with automatic pressure regulation. No direct access to the watermaker is required. All functions are performed remotely via the remote panel.

The parts of the SCHENKER MODULAR 230 TOUCH that come into contact with seawater are mostly carbon fiber or acetal resin. The SCHENKER MODULAR 230 DIGITAL is therefore totally corrosion-free.

## **Contents of the SCHENKER MODULAR 230 TOUCH kit:**

- Watermaker with Energy Recovery System
- Feed pump with sea water filter
- Activated carbon filter with solenoid valve





- Mains filter with sea water intake
- Filter key
- Non return valve
- Fresh water production pipe (5 meters)
- Remote panel
- Installation kit (assortment of screws and fittings)
- Instruction manual

**Standard functions:**

- Automatic pressure regulation
- High pressure lockout
- Low pressure lockout
- Lockout for non-cycling
- Minimum voltage lockout

**Remote control functions:**

- Remote start/stop
- Timer
- Automatic flush
- Intensive flush
- Periodic flush
- Automatic start-up
- Hour meter
- Assisted maintenance

**TECHNICAL FEATURES SCHENKER MODULAR 230 TOUCH**

Power: 1200 W

Power supply: 230 or 380 VAC

Flow rate: 230 Lt/h

Membranes: n.2 4" x 40"

Control panel: Digital

Length: 1257 mm

Width: 390 mm

Height: 410 mm

Weight: 95 Kg

Are you looking for a watermaker with different technical characteristics? Here you can find the full range of watermakers from SCHENKER or other specialized brands

Images and technical data are not binding.





**Product features:**

Power (W): 1200

Length (mm): 1257

Width (mm): 390

Height (mm): 410

Feed Type: 230 or 380 VAC

Production for hour at 25°C (Lt/h): 230

Daily production at 25°C (Lt/day): 5520

Membranes: n.2 4" x 40"

Remote panel: Digital touch screen

Weight (Kg): 95