



HONDA OUTBOARD BF225D LRU LONG SHAFT LENGTH 225HP

Product price:

16,815.00 € tax excluded

Product description:

HONDA OUTBOARD BF225D LRU LONG SHAFT LENGTH MECHANICAL CONTROLS

Honda BF225D LRU outboard engines are perfect for professional use, they are reliable, compact and lightweight complete with PGM-IG electronic fuel injection system.

The Honda BF225D LRU outboards are optimized to offer more power for a wide range of different boats. The firm, smooth power that this advanced technology offers is sure to put a smile on your face as you venture out on the water.

Honda BF225D LRU are large displacement engines, featuring high torque value at all operating speeds, giving you high acceleration and exceptional top speeds. Honda's exclusive BLAST, PGM-FI, VTEC (for BF225 and BF250) and ECOmo technologies, together with the performance of the foot-mounted gearbox, ensure smooth power delivery with minimal hydrodynamic resistance.

The special ECOmo poor-blend combustion control system delivers significant fuel economy right through RPM and performance. Once up to speed, the outboard consumes much less fuel. Maintaining this velocityand staying there gives the best result. Once at cruising velocity, ECOmo automatically and intelligently adjusts the correct air/fuel ratio for that speed. Normally it comes into operation in the green zone (shown on the dial) or when the green Eco light comes on (in case you have multifunctional indicators). Therefore, once you are in the green zone, you can save up to 20% of your fuel. This saving, for a long trip, means a lot of extra sea.

TECHNICAL FEATURES HONDA BF225D LRU

Net Power (kW): 165. 5 Net Power (Hp): 225 Displacement: 3583 cm³



Shaft Length: long Starting: Electric

Ignition System: Electronic PGM-IG

Fuel Supply: PGM-FI (Programmed Electronic Injection)

Engine Setup and Lift: Electric Bore x Stroke: 89 x 96 mm Engine Brand: Honda

Engine Type: OHC, 4-stroke Number of Cylinders: V6 VTEC

Full Throttle Speed (rpm): 5000-6000

Cooling System: Water

Battery Charge Capacity (A): 60 Propeller Rotation: Standard Transom Height (mm): 508

Length (mm): 920 Width (mm): 660 Height (mm): 1788 Dry Weight (Kg): 272

Are you looking for an outboard with different technical specifications? <u>Here</u> you can find the full range of Honda outboards or other brands specializing in this field.

The images are purely indicative.

Product features:

Fuel: Gasoline Engine: OHV

Ignition: Electronic PGM-IG Starting system: Electric Engine capacity (cm³): 3583

Number cylinders: 6

Cooling: Water (with thermostat) Bore x stroke (mm): 89 x 96

Reduction ratio: 2.00

Rpm at full throttle (rpm): 5000 - 6000 Appearance and engine lifting: Electric

Transom height (mm): 508 Net power (kW): 165.5 Length (mm): 920 Width (mm): 660 Height (mm): 1788

Dry weight (Kg): 272



Shaft Length: L Controls: Remote

