



DYNAMICA MINI 60V SINGLE-PHASE MARINE GENERATOR 6KW

Product description:

DYNAMICA MINI 60V SINGLE-PHASE MARINE GENERATOR 6KW

The DYNAMICA MINI60V single-phase silenced marine generator is equipped with a Kubota Z482 engine powered by diesel, it is able to deliver a maximum power of 6KW with variable speed.

The DYNAMICA MINI60V marine generator is equipped with a soundproof cabin that makes it super silent, with a sound emission of 72dB(A) at a distance of 1 m. The soundproof cabin in painted aluminum is extremely light and of very high resistance to external agents.

Equipped with a permanent magnet alternator (PMG) with insulation class H, it delivers a variable voltage between 230 and 240 V and a frequency also between 50 and 60 Hz.

The DYNAMICA MINI60V allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

With its compact size and light weight, the Dynamica MINI60V generator is also suitable for installation on small boats.

DYNAMICA MINI60V control unit

- IP54 protection
- ON/OFF/START/STOP/MENU soft-touch keys
- Digital display for monitoring the Dynamica generator
- 10m connection cable
- Mod-Bus 485 connector for monitoring the generator from the main control panel
- GSM communication for starting and stopping the generator, receiving alarm messages

TECHNICAL FEATURES DYNAMICA MINI60V



Phase Type: Single Phase

Maximum Power: 6 KVA / 6 KW

Factor cos ?: 1

Fuel: Diesel

Voltage: 230 - 240 V

Frequency: 50 - 60 Hz

Motor: Kubota Z482, 4 Stroke

Mechanical Power: 11. 1 Hp

Displacement: 479 cc

Engine speed: 2100 ÷ 3150 rpm

Sound pressure: 72 dB(A) @ 1 m

Alternator: Permanent magnets (PMG)

Consumption: 2.6 l/h @ 75 %

Length: 650 mm

Width: 468 mm

Height: 555 mm

Weight: 161 Kg

Looking for a marine generator with different technical features? [Here](#) you can find the full range of DYNAMICA generators or other specialized brands

Images and technical data not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 6

Maximum power single phase (KVA): 6

Fuel: Diesel

Frequency (Hz): 50 / 60

Voltage (V): 230 / 240

Engine: KUBOTA Z482

Engine rpm (rpm): 2100 ÷ 3150

Starting system: Electric

Engine capacity (cm³): 479

Number cylinders: 2

Cooling: Heat exchanger air/water

Inyección : Indirect

Alternator: Permanent magnets

Bore x stroke (mm): 67 x 68

Consumption (L/h): 2.6

Acoustic pressure: 72 dB(A)

Length (mm): 650



Width (mm): 468

Height (mm): 555

Dry weight (Kg): 161

Product type: Generator

Engine manufacturer: Kubota

