



CGM 365DS-B400 WITH AUTOMATIC CONTROL PANEL

Product price:

37,125.00 € tax excluded

Product description:

CGM 365DS-B400 Single/three-phase 365KVA generator with automatic control panel

The CGM 365DS-B400 is a single/three phase 365KVA generator with a 1500 rpm Doosan diesel engine, compact and easy to use, mounted on a fixed base. This CGM 365DS-B400 generator is in an open version and is easy to handle and transport thanks to its base with pivoting feet.

The CGM 365DS-B400 generator consists of a Stamford, Mecc Alte or Marelli Motori, self-excited, brushless alternator with AVR voltage regulator. The CGM 365DS-B400 generator is equipped with an electric starter with a low fuel consumption battery, consuming only 57 litres per hour at 75% load. In addition, it has a control panel with automatic control unit and terminal box for automatic start-up.

This generator is perfect for use outdoors, such as on construction sites.

The CGM 365DS-B400 generator is part of the Industrial range and is characterised by its versatility for installation in urban environments such as shops or shopping centres, for the telecommunications environment, for military applications and much more.

Technical characteristics of the CGM 365DS-B400 generator:

Phase type: Single-phase / Three-phase

Maximum three-phase power: 324 KW / 405 KVA

Three-phase continuous power: 292 KW / 365 KVA

Maximum single-phase power: 108 KW / 135 KVA

Single-phase continuous use power: 97.33 KW / 121.67 KVA

Fuel: Diesel

Voltage: 230 V / 400 V

Frequency: 50 Hz

Motor: DOOSAN DP126 LB

Engine speed: 1500 rpm

Starting: Electric

Consumption: 57 Lt/h at 75% load



Length: 2950 mm

Width: 1550 mm

Height: 2100 mm

Weight: 2860 Kg

AVR

If you are looking for a product like the CGM 365DS-B400 then you can browse the full range of CGM [generators](#) or other types of products in our catalogue to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 108

Continuous power single phase (KW): 97.33

Maximum power single phase (KVA): 135

Continuous power single phase (KVA): 121.67

Maximum power three phase (KW): 324

Continuous power three phase (KW): 292

Maximum power three phase (KVA): 405

Continuous power three phase (KVA): 365

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Sockets configuration: Morsettiera

Engine: DOOSAN DP126 LB

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Elettrico

Engine capacity (cm³): 11051

Number cylinders: 6

Cooling: Water

Alternator: Brushless

Poles: 4

Protection degree: IP44

Bore x stroke (mm): 123 x 155

Fuel tank capacity (L): 400

Consumption (L/h): 57

Running time (h): 2,5

Width (mm): 1550



Height (mm): 2100

Dry weight (Kg): 2860

AVR: Yes

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Doosan

