



HONDA FG 201 K1 MICRO ROTARY TILLER 49 cc.

Product price:

467,00 € tax excluded

Product description:

HONDA FG 201 K1 MICRO ROTARY TILLER 49 cc.

The HONDA FG201K1 is a micro rotary tiller equipped with a gasoline-powered HONDA OHC GXV50 engine capable of delivering 1.3 KW of mechanical power.

The HONDA FG201K1 micro rotary tiller is used to break up hard, compacted soil and optimally prepare it for planting. Ideal for small gardens, this effective power tiller has a robust 4-stroke engine that takes on the hard work.

HONDA FG201K1 is perfect not only for cultivating, but also for pulling weeds between rows of plants and taking the best care of the aesthetics of your flowerbeds. This tiller features a center carry handle, thanks to which it can be easily folded for easy transport and storage.

Tillers, or rotor blades, are designed to break up and lift soil like a mini-plow. The simultaneous action of four tillers can turn over and disperse the soil, creating the perfect structure for plants and vegetables.

The use of the HONDA FG201K is not limited to preparatory work only. With three available attachments, you can cultivate the soil gently with the scarifier, cleanly cut grass edges with a trimming tool and, for a lush lawn.

TECHNICAL FEATURES HONDA FG201K1

Power: 1.3 KW

Engine: HONDA GXV50, OHC 4-stroke

Displacement: 49 cc

Engine speed: 4800 rpm

Fuel tank capacity: 0.35 l

Oil capacity: 0.3 l



Start: Pull start
Transmission clutch: Automatic - Centrifugal
Transmission: Screw drive
Sound pressure at operator's ear: 79 dB(A)
Guaranteed sound power level: 93 dB(A)
Vibration: 5 m/sec²
Maximum working width: 300 mm
Maximum working depth: 230 mm
Forward speed: 1
Forward speed: 197 rpm.
Length: 1185 mm
Depth: 455 mm
Height: 980 mm
Dry weight: 17 Kg

Are you looking for a rotary tiller with different technical characteristics? Here you can find the area dedicated to rotary tiller HONDA or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Fuel: Gasoline
Engine: HONDA OHC GXV50
Engine rpm (rpm): 4800
Ignition: Recoil
Starting system: Manual recoil
Engine capacity (cm³): 49
Oil capacity (L): 0.3
Working width (mm): 300
Transmission: Screw drive
Net power (kW): 1.3
Fuel tank capacity (L): 0.35
Acoustic power: 93 dB(A)
Acoustic pressure: 79 dB(A) @ 7m
Length (mm): 1185
Width (mm): 455
Height (mm): 980
Dry weight (Kg): 17
Self propelled: Yes
Speeds: 1 forward
Max tilling depth (mm) : 230
Engine manufacturer: Honda



