



HONDA FF 500 K1 COUNTER-ROTATING ROTARY TILLER 160 cc

Product price:

2.114,00 € tax excluded

Product description:

HONDA FF 500 K1 COUNTER-ROTATING ROTARY TILLER 160 cc

HONDA FF500K1 is a counter-rotating rotary tiller complete with a 4-stroke Honda GCV160 gasoline engine capable of delivering a net power of 3.3 kW.

HONDA FF500K1 is a powerful & reliable rotary tiller suitable for all types of applications. They are very maneuverable and their special counter-rotating tiller speeds up the work enormously.

Using the HONDA FF500K1 is as easy as taking a walk. That's because the high-performance 4-stroke engine is equipped with multiple gears and delivers only the amount of power you need each time, regardless of working conditions.

HONDA FF500K1 reliable rotary offers stable & reliable power with reduced & cleaner emissions, plus 4-stroke gasoline engines avoid the mess associated with mixing oil and fuel.

HONDA FF500K1 do not require a warm-up interval to achieve maximum performance. This results in excellent fuel economy, as a result, greater savings.

Thanks to its powerful 4-stroke engine, transmission unit & a strong clutch, the HONDA FF500K1 rotary tiller is able to unleash all its power to the counter-rotating blades, allowing you to have an excellent result with minimum effort & time use.

TECHNICAL FEATURES HONDA FF500K1

Engine: Honda GCV160, OHC 4 Stroke

Displacement: 160 cc

Net power: 3.3KW

Engine speed: 3600 rpm

Fuel tank capacity: 1.7 l





Oil capacity: 0. 55 l
Start: Recoil start
Transmission clutch: Manual - Expansion spindle
Transmission: Wheels - Epicyclic bevel gear
Final drive: Wheels - Constant gear - Chain and gear cutters
Differential/side clutch: Yes
Sound pressure at operator's ear: 79 dB(A)
Guaranteed sound level: 93 dB(A)
Vibrations: 4. 8 m/sec²
Maximum working width: 550 mm
Maximum working depth: 200 mm
Forward speed: 3
Reverse speed: 1
Forward rotation speed (rpm): 0.2 - 1 m/s
Reverse rotation speed (rpm.): 0.3 m/s
PTO rotation speed (rpm): 141
Length: 1730 mm
Depth: 585 mm
Height: 1045 mm
Dry weight: 77 Kg

Are you looking for a reliable rotary with different technical features? [HERE](#) You can find the area dedicated to rotary tiller HONDA or other specialized brands.

The images & technical data are not binding & may be subject to revisions by the manufacturer.

HONDA FF500K1

Product features:

Fuel: Gasoline
Engine: Honda GCV160 4 tempi
Engine rpm (rpm): 3600
Ignition: Recoil
Starting system: Pull starter with recoil
Engine capacity (cm³): 160
Oil capacity (L): 0.55
Working width (mm): 550
Transmission: Constant Gear
Net power (kW): 3.3
Fuel tank capacity (L): 1.7
Acoustic power: 93 dB(A)
Acoustic pressure: 79 dB(A)





Length (mm): 1730

Width (mm): 585

Height (mm): 1045

Dry weight (Kg): 77

Speeds: 3 Avanti + 1 Retro

Max tilling depth (mm) : 200

Engine manufacturer: Honda