



MCH MINIDUMPER H600CM POWER CARRIES WITH SELFLOADING CONCRETE MIXER 600 Kg

Product price:

8,815.00 € tax excluded

Product description:

MCH MINIDUMPER H600CM POWER CARRIES WITH SELF-LOADING CONCRETE MIXER 600 Kg

MCH MINIDUMPER H600CM power carries is equipped with Honda GX270 engine with gasoline feeded, with a load capacity up to 600Kg.

MCH MINIDUMPER H600CM is ideal for use by construction workers, thanks in part to the incredible convenience of hydraulic tipping of the concrete mixer. Thanks to this feature, the loading and unloading of the power carries becomes very comfortable, in addition to prevent injuries given by these maneuvers.

They are distinguished by the powerful Honda GX270 9 HP engine with self-winding or electric start, a group 2 pump of high capacity with a three-way flow divider that allows the simultaneous use of several functions. The included quick couplers and support stand allow for quick and easy accessory changes.

MCH H600CM is an extremely powerful and compact machine for construction and renovation work. The MCH MINIDUMPER H600CM is equipped with dual speed allowing for quick movements around the job site and the ability to be equipped with a variety of attachments making it very versatile. The included quick couplers and support stand allow for quick and easy accessory changes.

The MCH MINIDUMPER H600CM is equipped with a self-loading shovel, with which you can load and move, without any effort, materials of various kinds, in the construction field. The hydraulic self-loading shovel makes your work easier, make the transport of heavy materials simpler and



safer, moreover, in reducing the possibility of accidents at work.

TECHNICAL FEATURES MCH MINIDUMPER H600CM

Engine: Honda GX270 Displacement: 270 cc

Power: 6.6 KW

Fuel supply: Gasoline Transmission: Hydrostatic

Max. forward speed 2 Speed: 2 km/h / 3,6 km/h

Hydraulic motors type: Orbital Motor cylinder. Hydraulic: 250 cc

Pump type: Single group 2 + Triple divider

Displacement: Fixed

Maximum pressure: 180 bar Operating pressure: 150 bar Pump capacity: 10,5 cc Hydraulic oil tank: 14 lt

Dump truck capacity: 0,21 m²

Overturning: Hydraulic Safety system: Overcenter Maximum slope allowed: 30% Flat load capacity: 600 kg Slope load capacity: 350 kg

Rubber tracks (mm): 180 x 60 x 38

Width: 1500 mm Depth: 1240 mm Height: 833 mm Net weight: 425 kg Gross weight: 465 kg

Looking for a product with different technical characteristics? <u>Here</u> you can find the full range of power carries from MCH or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Fuel: Gasoline

Engine: Honda GX270 Engine rpm (rpm): 3600



Length (mm): 1500 Width (mm): 1240 Height (mm): 833 Dry weight (Kg): 425

Capacità di carico in piano (Kg): 600

