



# MCH MINIDUMPER H500C LS 208 POWER CARRIES WITH HYDRAULIC DUMPER CART SELF-LOADING SHOVEL 500 Kg

## **Product price:**

4.840,00 € tax excluded

### **Product description:**

MCH MINIDUMPER H500C LS 208 POWER CARRIES WITH HYDRAULIC DUMPER CART SELF-LOADING SHOVEL 500 Kg

The MCH MINIDUMPER H500C LS208 power carries is equipped with a MCH LS208 gasoline engine, with a load capacity of up to 500Kg.

The MCH MINIDUMPER H500C LS208 power carries your work easier, make transporting heavy materials easier and safer. In addition, in reducing accidents at work, they also take away a weight from you.

MCH MINIDUMPER H500C LS208 is designed for the most demanding professionals, are equipped with a deep tipper, ideal for transporting materials (rubble, sand, stones, bricks, concrete, wood...). Its hydrostatic tipping function facilitates your work, allowing you to unload up to 500 kg with the simple action of the control lever.

This power carries is suitable for a whole range of tasks that require moving heavy materials. Equipped with the renowned MCH LS208 4-stroke engine, they are solid and efficient and can do any job to the fullest.

The power carriers MCH MINIDUMPER H500C LS208 is equipped with a selfloading shovel, with which you can load and move, without any effort, materials of various kinds, in the construction and agricultural field. The hydraulic selfloading shovel makes your work easier, make the transport of heavy materials simpler and safer, moreover, in reducing the possibility of accidents





at work.

#### TECHNICAL SPECIFICATIONS MCH MINIDUMPER H500C LS208

Engine: MCH LS208 4-stroke

Displacement: 208 cc

Power: 4.1 KW

Engine RPM: 3600 rpm

Fuel: Gasoline

Transmission: Hydrostatic

Advance Speed: 1 Speed 2.5 Km/h

Hydraulic motor type: Orbital

Hydraulic motor displacement: 200cc

pump type: Double gear Displacement: Fixed

Maximum pressure: 180 bar Operating pressure: 150 bar Pump Flow Rate: 4.2+4.2 cc/rpm Safety System: Block Valves

Oil Tank: 14 I

Dump Truck Volume: 0.21 m

Tipping: Hydraulic

Maximum slope allowed: 20% Flat load capacity: 500 kg Slope load capacity: 350 kg

Rubber tracks (mm): 180 x 60 x 38

Width: 1478 mm Depth: 835 mm Height: 1250 mm Net weight: 395 kg

Looking for a product with different technical characteristics? Here you can find the full range of power carries MCH or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

## **Product features:**

Fuel: Gasoline

Engine: MCH LS208 Engine rpm (rpm): 3600 Engine capacity (cm³): 196

Power (KW): 4.1





Transmission: Hydrostatics

Length (mm): 1478 Width (mm): 800 Height (mm): 1250 Dry weight (Kg): 310 Speeds: 1

Capacità di carico in piano (Kg): 500

