



MCH MINIDUMPER H500C KM178F-E POWER CARRIES DUMPER CART SELF-LOADING SHOVEL STAGEV 500 kg

Product price:

6,090.00 € tax excluded

Product description:

MCH MINIDUMPER H500C KM178F-E POWER CARRIES DUMPER CART SELF-LOADING SHOVEL STAGEV 500 kg

MCH MINIDUMPER H500C KM178F-E is a power carries equipped with KPC KD 178 STAGE V electric start engine with Diesel power, with a load capacity of up to 500Kg.

The MCH MINIDUMPER H500C KM178F-E power carries your work easier, make transporting heavy materials easier and safer. In addition, in reducing accidents at work, they also take away a weight from you.

MCH MINIDUMPER H500C KM178F-E is designed for the most demanding professionals, are equipped with a deep tipper, ideal for transporting materials (rubble, sand, stones, bricks, concrete, wood...). The power carries has a hydrostatic tipping function, which makes your work easier, allowing you to unload up to 500 kg with the simple action of the control lever.

Thanks to the KPC KD 178 STAGE V diesel engine, you can enjoy incredible performance with low fuel consumption, so you can take full advantage of the MCH MINIDUMPER H500C KM178F-E tracked forklift.

The MCH MINIDUMPER H500C KM178F-E is equipped with a self-loading shovel, with which you can load and move, without any effort, materials of various kinds, in the construction and agricultural fields. The hydraulic self-loading shovel makes your work easier, make the transportation of heavy materials easier and safer, moreover, in reducing the possibility of accidents at work.



TECHNICAL FEATURES MCH MINIDUMPER H500C KM178F-E

Engine: KPC KD 178
Displacement: 296 cc
Power: 4.7 KW
Emission standard: Stage V
Fueling: Diesel
Start: Electric
Transmission: Hydrostatic
Feed speed: 1 Speed 2.5 Km/h
Hydraulic motor type: Orbital
Hydraulic motor displacement: 200cc
Hydraulic pump type: Double gear
Displacement: Fixed
Maximum pressure: 180 bar
Operating pressure: 150 bar
Pump capacity: 4.2+4.2 cc/rpm
Safety System: Block Valves
Hydraulic Oil Tank: 14 l
Dump Truck Volume: 0.21 m
Ribbing: Hydraulic
Maximum Slope Allowed: 20%
Flat Load Capacity: 500 kg
Slope load capacity: 350 kg
Rubber tracks (mm) : 180 x 60 x 38
Width: 1478 mm
Depth: 835 mm
Height: 1250 mm
Net weight: 380 kg

Are you looking for a crawler with different technical characteristics? [Here](#) you can find the full range of power carries from MCH or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Fuel: Diesel
Engine: MCH LS208
Engine rpm (rpm): 3600



Engine capacity (cm³): 196

Power (KW): 4.1

Transmission: Hydrostatics

Length (mm): 1478

Width (mm): 800

Height (mm): 1250

Dry weight (Kg): 310

Speeds: 1

Capacità di carico in piano (Kg): 500