



# MCH MINIDUMPER H500C KM178F-E POWER CARRIES DUMPER CART SELF-LOADING SHOVEL STAGEV 500 kg

**Product price:**

**6.090,00 € tax excluded**

## **Product description:**

MCH MINIDUMPER H500C KM178F-E POWER CARRIES DUMPER CART SELF-LOADING SHOVEL STAGEV 500 kg

MCH MINIDUMPER H500C KM178F-E is a power carries equipped with KPC KD 178 STAGE V electric start engine with Diesel power, with a load capacity of up to 500Kg.

The MCH MINIDUMPER H500C KM178F-E power carries your work easier, make transporting heavy materials easier and safer. In addition, in reducing accidents at work, they also take away a weight from you.

MCH MINIDUMPER H500C KM178F-E is designed for the most demanding professionals, are equipped with a deep tipper, ideal for transporting materials (rubble, sand, stones, bricks, concrete, wood...). The power carries has a hydrostatic tipping function, which makes your work easier, allowing you to unload up to 500 kg with the simple action of the control lever.

Thanks to the KPC KD 178 STAGE V diesel engine, you can enjoy incredible performance with low fuel consumption, so you can take full advantage of the MCH MINIDUMPER H500C KM178F-E tracked forklift.

The MCH MINIDUMPER H500C KM178F-E is equipped with a self-loading shovel, with which you can load and move, without any effort, materials of various kinds, in the construction and agricultural fields. The hydraulic self-loading shovel makes your work easier, make the transportation of heavy materials easier and safer, moreover, in reducing the possibility of accidents at work.





---

## TECHNICAL FEATURES MCH MINIDUMPER H500C KM178F-E

Engine: KPC KD 178  
Displacement: 296 cc  
Power: 4.7 KW  
Emission standard: Stage V  
Fueling: Diesel  
Start: Electric  
Transmission: Hydrostatic  
Feed speed: 1 Speed 2.5 Km/h  
Hydraulic motor type: Orbital  
Hydraulic motor displacement: 200cc  
Hydraulic pump type: Double gear  
Displacement: Fixed  
Maximum pressure: 180 bar  
Operating pressure: 150 bar  
Pump capacity: 4.2+4.2 cc/rpm  
Safety System: Block Valves  
Hydraulic Oil Tank: 14 l  
Dump Truck Volume: 0.21 m  
Ribbing: Hydraulic  
Maximum Slope Allowed: 20%  
Flat Load Capacity: 500 kg  
Slope load capacity: 350 kg  
Rubber tracks (mm) : 180 x 60 x 38  
Width: 1478 mm  
Depth: 835 mm  
Height: 1250 mm  
Net weight: 380 kg

Are you looking for a crawler with different technical characteristics? Here you can find the full range of power carries from MCH or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

### Product features:

Fuel: Diesel  
Engine: MCH LS208  
Engine rpm (rpm): 3600  
Engine capacity (cm<sup>3</sup>): 196  
Power (KW): 4.1  
Transmission: Hydrostatics



Length (mm): 1478

Width (mm): 800

Height (mm): 1250

Dry weight (Kg): 310

Speeds: 1

Capacità di carico in piano (Kg): 500