



# GREEN POWER GP 10000XM/HE SINGLE-PHASE GENERATOR STAGE V ELECTRIC START 10KVA

**Product price:** 

2.826,10 € tax excluded

### **Product description:**

GREEN POWER GP 10000XM/HE SINGLE-PHASE GENERATOR STAGE V ELECTRIC START 10KVA

The generator GREENPOWER GP 10000XM/HE single-phase, is equipped with a HONDA GX630 **StageV** gasoline-supplied engine, and is complete with capacitor voltage regulator (**AVR optional**).

GREENPOWER GP 10000XM/HE features a large 20-liter fuel tank and low fuel consumption, only 3.8 liters/hour at 75% load for up to 5.3 hours of operation. Extremely practical sockets and controls make starting and operating the generator easy and quick.

The StageV generator is compact and convenient to maneuver and transport thanks to its compact size, as well as the practical tubular handles, and the possibility to have, as an **optional**, a trolley for fast and practical handling. In addition it is equipped with a practical and convenient electric start system, so that it can be put into operation in a simple and fast way.

The GREENPOWER GP 10000XM/HE generator is equipped with HONDA GX630 StageV engine that allows this machine to deliver a maximum single-phase power of 10KVA.

The voltage regulator is an electronic device able to automatically regulate the voltage and eventually the frequency and/or the electric current according to set values. These values can be modified or bound to the technical characteristics of the regulator itself. In essence, thanks to this device, the alternating current coming from the alternator is transformed into direct current at constant voltage.





#### STAGEV EMISSIONS STANDARD

The STAGEV standard defines the guidelines and limits for engine gas emissions. The regulation is respected through the installation of special anti-particulate filters in the genset, but an indispensable condition for the filter to work correctly is that the genset works at its design temperature.

The electric control panel of the GREENPOWER GP 10000XM/HE generator is composed of:

- Output sockets: 1x 230V 32A CEE / 1x 230V 16A CEE
- Thermomagnetic switch + differential
- Voltmeter
- Start key
- Voltmeter
- Low oil pressure led
- Mains presence led

## TECHNICAL FEATURES GREENPOWER GP 10000XM/HE

Phase Type: Single Phase

Continuous Use Power: 9 KVA / 9 KW Maximum Power: 10 KVA / 10 KW

Motor: HONDA GX630 Motor RPM: 3000 rpm Emission Standard: StageV

Start: Electric Fuel: Gasoline

Voltage: 230 / 400 V Frequency: 50 Hz

Socket panel: 1 x CEE 16A 230V / 1 x CEE 32A 230V

Tank capacity: 20 I

Run time at 75% load: 5.3 h

Consumption at 75% load: 3.8 Lt/h

Length: 780 mm Width: 570 mm Height: 780 mm Dry weight: 167 Kg

Are you looking for a generator with different technical characteristics? Here you can find the area dedicated to GREENPOWER generators or other specialized brands.

Images and technical data not binding.





#### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 10 Continuous power single phase (KW): 9 Maximum power single phase (KVA): 10 Continuous power single phase (KVA): 9

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 32A CEE - 1 x 230V 16A CEE

Engine: Honda GX630, 4 stroke, OHV

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 688

Number cylinders: 2

Cooling: Air

Alternator: MECC ALTE S20FS-160/A

Poles: 2

Fuel tank capacity (L): 20

Consumption (L/h): 3.8 at 75 % of load Running time (h): 5.3 at 75% of the load

Length (mm): 780 Width (mm): 570 Height (mm): 780 Dry weight (Kg): 167

Silenced: No

Super silenced: No Product type: Generator ATS Switch device: No

Voltage regulator: Capacitor / AVR (optional)

Engine manufacturer: Honda