



HONDA Outboard BF 135D XRU TOTAL WHITE Extra Long Shaft 135 Hp

Product description:

HONDA BF 135D XRU TOTAL WHITE outboard engine 135 Hp Extra Long Shaft

Honda BF 135D XRU TOTAL WHITE outboard engines are perfect for professional use, they are reliable, compact and lightweight complete with PGM-Fi electronic fuel injection system.

HONDA BF 135D XRU are outboards optimized to offer more power for a wide range of different boats. The firm, smooth power this advanced technology offers is sure to put a smile on your face as you venture out to sea.

HONDA Outboard BF 135D XRU TOTAL WHITE is a large displacement engine that delivers superior torque and top speed and is capable of delivering power and performance for both professional and competition use.

The HONDA BF 135D XRU outboard engine is a large displacement, characterized by high torque at all operating speeds and delivers high acceleration and exceptional top speeds.

The HONDA BF 135D XRU dual-stage air induction system operates with a shuttle valve built into the Variable Air Intake (VAI) manifold. When fully open, this valve changes the resonance and airflow generating more torque at low rpm. When the throttle valve is fully open and rpm increases, the cooling valve closes and creates a direct airflow to the engine.

HONDA BF 135D XRU outboards are NMEA2000® compliant. There is no need to modify the wiring because everything is set up. Simply plug the engine into the CANbus network - the boat's nervous system - for total connectivity and control. Then the engine can be connected to other NMEA devices such as the navigation system, GPS, sonar devices, sounder and chartplotter. All information, including engine data, will be displayed via the multifunctional gauges.

The Boasting LoW Speed Torque (BLAST) system of the HONDA BF 135D XRU outboard significantly improves performance and acceleration by automatically anticipating injection times



and increasing the air/fuel ratio.

TECHNICAL FEATURES HONDA BF 135D XRU TOTAL WHITE

Net Power (kW): 99.3
Net Power (Hp): 135
Displacement: 2354 cm³
Shaft Length: Extra Long
Starter: Electric
Ignition system: Electronic PGM-IG
Fuel supply: PGM-FI (Programmed electronic injection)
Engine trim and lift: Electric
Bore x stroke: 89 x 96 mm
Engine: Honda DOHC, 4-stroke
Number of cylinders: 4 in line
Speed at full throttle (rpm): 5000-6000
Cooling system: Water
Battery charge capacity (A): 40
Propeller rotation: Standard
Transom height (mm): 635
Length (mm): 845
Width (mm): 580
Height (mm): 1790
Dry weight (Kg): 217

Are you looking for an outboard with different technical characteristics? [Here](#) you can find the entire Honda range or other brands specializing in the sector.

The images are purely indicative.

Product features:

Fuel: Gasoline
Engine: DOHC, 4 tempi
Ignition: Electronic PGM-IG
Starting system: Electric
Engine capacity (cm³): 2354
Number cylinders: 4
Cylinders' position: In line
Cooling: Water (with thermostat)
Bore x stroke (mm): 87 x 99
Rpm at full throttle (rpm): 5000 - 6000
Appearance and engine lifting: Electric



Shop name

Transom height (mm): 635

Net power (kW): 99.3

Length (mm): 845

Width (mm): 580

Height (mm): 1790

Dry weight (Kg): 217

Shaft Length: X

Controls: Remote



PrestaShop