



# HONDA OUTBOARD BF 135D XRU SPORTY WHITE EXTRA LONG SHAFT 135 HP

## Product description:

### **HONDA OUTBOARD BF 135D XRU SPORTY WHITE EXTRA LONG SHAFT 135 HP**

Honda BF 135D XRU SPORTY WHITE are outboard engines perfect for professional use, they are reliable, compact and lightweight complete with PGM-Fi electronic fuel injection system.

HONDA BF 135D XRU are outboards optimized to offer more power for a wide range of different boats. The firm, smooth power this advanced technology offers is sure to put a smile on your face as you venture out to sea.

The HONDA BF 135D XRU dual-stage air induction works with a shuttle valve built into the Variable Air Intake (VAI) manifold. When fully open, this valve changes the resonance and airflow generating more torque at low rpm. When the throttle valve is fully open and rpm increases, the cooling valve closes and creates a direct airflow to the engine.

Honda BF 135D XRU SPORTY WHITE is equipped with the special ECOmo low-blend combustion control system that provides significant fuel economy from revs and performance. Much less fuel is consumed once rpm is reached. ECOmo is a poor-blend combustion control system that delivers significant fuel savings from RPM and performance.

Honda BF 135D XRU is equipped with special ECOmo poor mixture combustion control system ensures significant fuel economy right from RPM and performance. Honda BF 135D XRU models are NMEA2000® compliant.

The Boasting LoW Speed Torque (BLAST) system of the HONDA Outboard BF 135D XRU significantly improves performance and acceleration by automatically anticipating injection times and increasing the air/fuel ratio.

## TECHNICAL FEATURES HONDA BF 135D XRU SPORTY WHITE



Net Power (kW): 99.3

Net Power (Hp): 135

Displacement: 2354 cm<sup>3</sup>

Shaft Length: Extra Long

Starter: Electric

Ignition system: Electronic PGM-IG

Fuel supply: PGM-FI (Programmed electronic injection)

Engine trim and lift: Electric

Bore x stroke: 89 x 96 mm

Engine: Honda DOHC, 4-stroke

Number of cylinders: 4 in line

Speed at full throttle (rpm): 5000-6000

Cooling system: Water

Battery charge capacity (A): 40

Propeller rotation: Standard

Transom height (mm): 635

Length (mm): 845

Width (mm): 580

Height (mm): 1790

Dry weight (Kg): 217

Are you looking for an outboard with different technical characteristics? [Here](#) you can find the entire Honda range or other brands specializing in the sector.

The images are purely indicative.

### Product features:

Fuel: Gasoline

Engine: DOHC, 4 tempi

Ignition: Electronic PGM-IG

Starting system: Electric

Engine capacity (cm<sup>3</sup>): 2354

Number cylinders: 4

Cylinders' position: In line

Cooling: Water (with thermostat)

Bore x stroke (mm): 87 x 99

Rpm at full throttle (rpm): 5000 - 6000

Appearance and engine lifting: Electric



Transom height (mm): 635

Net power (kW): 99.3

Length (mm): 845

Width (mm): 580

Height (mm): 1790

Dry weight (Kg): 217

Shaft Length: X

Controls: Remote

