



# ITALTOWER STREET SOLAR PRO01 LIGHT TOWER 6000lm ELECTRIC SOLAR ENERGY

**Product price:** 

2,771.00 € tax excluded

# **Product description:**

# ITALTOWER STREET SOLAR PRO01 LIGHT TOWER 6000Im ELECTRIC SOLAR POWER

ITALTOWER STREET SOLAR PRO01 is a lighting tower equipped with 6000lm LED floodlights, capable of illuminating an area of ??450 square meters.

The ITALTOWER STREET SOLAR is equipped with a practical manual lifting system that allows it to be extended to a maximum height of 5.5 meters in height. Once fully extended, the lighting tower will have a maximum wind stability of 80 km / h even though it does not have stabilization feet.

The supplied lithium battery supplies power to the ITALTOWER for a maximum of 5 hours at full power. The ITALTOWER STREET SOLAR PRO01 does not need to be charged thanks to the provision of a solar panel that provides the auxiliary power supply of the battery, completing a complete charge cycle in about 7 hours.

The ITALTOWER is equipped with a control panel, with which you can check the battery charge status, turn the headlights on or off with the practical On / Off button and decide the light intensity delivered by the headlights. By wisely adjusting the light intensity supplied by the headlights, the ITALTOWER STREET SOLAR will allow you a continuous lighting 24 hours a day without the need to be turned off or recharged.



## ITALTOWER STREET SOLAR PRO01 TECHNICAL FEATURES

Type of headlights: LED (Osram)

Total Lumens: 6000 lm

Color temperature: 5700K Ra 70+

Efficiency: 190 lm / W IP / IK class: IP65 / IK10 Lighting area: 450 m2 Battery type: Lithium Capacity: 14.8V / 2.6AH Charging time: 7 hours

Battery status Green: & gt; 70% Orange: 30% - 70%

Red: & It; 30%

Solar panel power: 60 W

Height: 5.5 m

Lift system: Manual

Wind resistance: 80 Km / h

Min dimension: 1200 x 800 x 1860 mm Max dimension: 1200 x 1291 x 5500 mm

Weight: 270 kg

Are you looking for a product with different characteristics? <u>HERE</u> you can find the entire range of ITALTOWER lighting towers or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the supplier.

### **Product features:**

Phase: Single phase Frequency (Hz): 50 Type of lamps: LED

Telescopic pole: Galvanized steel

Illuminated area (m<sup>2</sup>): 450 Total lumens (Lm): 6000

Lifting System: Manual lifting system

Maximum height (m): 5.5

Open size (mm):

Closed size (mm): 1200 x 800 x 1860

With generator / Without generator: Electric Battery and Solar Panel



Transportability: Stationary Stability to wind (Km/h): 80 Km/h Weight (Kg): 270

