



# RENTAL HONDA EU32i SINGLE-PHASE GENERATOR 3,2KVA INVERTER REMOTE CONTROL STAGE V

Product price:

**2.600,00 € tax excluded**

## Product description:

GENERATOR RENTAL 3,2KVA - HONDA EU32i SINGLE-PHASE INVERTER REMOTE CONTROL STAGE V

Generator Rental 3,2KVA HONDA EU32i RENTAL single-phase Rental generator is gilded with GX130 StageV engine powered by Gasoline, capable of delivering a maximum power of 3,2 KVA, super quiet thanks to the inverter provided.

GENERATOR RENTAL 3,2KVA HONDA EU32i is small in size and thanks to the handle located above the machine body, make the generator perfect for transport and easy placement during periods of inactivity. All the materials used for the manufacture of GENERATOR RENTAL 3,2KVA EU32i, are of first choice, offering and guarantee to the customer a tested and proven product at a really convenient price.

Thanks to the electrical stabilizer of the Inverter technology that works at very low distortion, the generator delivers constant current loads without voltage peaks that could damage electrical and electronic devices. Another advantage of the inverter is that it works with variable engine speed, according to the need for current to be delivered, optimizing the best fuel consumption, gas emission and wear of mechanical parts. This product is ideal for use in campsites, campers and for outdoor leisure time.

The GENERATOR RENTAL 3,2KVA HONDA EU32i generator is equipped with an ECO-acceleration function that automatically adjusts the engine speed according to the load. Thanks to this function, the group is able to guarantee an incredible autonomy under low loads and to deliver considerable power when the load becomes demanding.



Thanks to the low acoustic impact obtained thanks to the inverter and the ECO-acceleration function, it is possible to use the generator even in environments where particularly loud noises cannot be accepted, such as: historical centers, hospitals, schools, gyms, etc.

The GENERATOR RENTAL 3,2KVA EU32i can be connected to a smartphone via a Bluetooth connection by means of the Honda application for smartphones "My Generator" to be used exclusively with Honda generators equipped with Bluetooth technology.

The application is capable of performing the following functions:

- Allow you to stop the engine remotely
- Change the eco-acceleration system remotely
- Allows you to view the power output level and remaining fuel level, etc.
- Receive error and maintenance alerts

### **The rental service**

Rental a generator has never been easier: choose the product you want to rent and FILL OUT THE FORM .

Our specialized staff will answer you immediately with the offer that suits you best!

The material available for hire can be shipped all over Italy and is always ready for action: our team of technicians in fact always keeps it in perfect operating conditions.

It is advisable for the rental of large quantities of cars to book in advance: this is especially important in conjunction with trade fairs or events, where many will take advantage of the rental service.

### **Technical specifications GENERATOR RENTAL 3,2KVA HONDA EU32i**

Phase Type: Single Phase  
Continuous Power: 2.6 KVA / 2.6 KW  
Maximum Power: 3.2 KVA / 3.2 KW  
VAC Voltage: 230 V  
Frequency (Hz): 50  
Voltage regulator: INVERTER  
Starting panel: Manual recoil starter  
Engine: GX130 4-stroke  
Emissions standard: Stage V  
RPM: Variable  
Fuel supply: Gasoline  
Fuel tank capacity: 4.6 l  
Acoustic pressure: 91 dB (A)  
Length: 596 mm





Width: 306 mm  
Height: 452 mm  
Net weight: 26.5 Kg

Are you looking for product with different technical characteristics? [HERE](#) you can find the area dedicated to Honda generators or other specialized brands

Available for Turin and all of Italy.

Images and technical data are not binding and may be subject to revision.

### Product features:

Phase: Single phase  
Maximum power single phase (KW): 3.2  
Continuous power single phase (KW): 2.6  
Maximum power single phase (KVA): 3.2  
Continuous power single phase (KVA): 2.6  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 2 x 230V 16A 2P+T CEE  
Engine: Honda GX130 4-stroke  
Emissions Regulations: Stage 5  
Engine rpm (rpm): Variable  
Speed governor: Electronic  
Ignition: Recoil  
Starting system: Pull starter  
Cooling: Air  
Fuel tank capacity (L): 4.6  
Acoustic pressure: 91 dB(A)  
Length (mm): 596  
Width (mm): 306  
Height (mm): 457  
Dry weight (Kg): 26.5  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : No  
Voltage regulator: Inverter  
Engine manufacturer: Honda

