



PRAMAC WX 3200 ES SINGLE PHASE GENERATOR 2.85 KVA AVR STAGE V



Product price:

434.31 € tax excluded

Product description:

PRAMAC WX 3200 ES SINGLE PHASE GENERATOR 2.85 KVA AVR STAGE V

PRAMAC WX 3200 ES is a single-phase generator equipped with a Pramac OHV **StageV** petrol-powered engine, capable of delivering a maximum power of 2,85 KVA **complete with AVR voltage regulator**.

The PRAMAC WX 3200 ES is equipped with sturdy handles and wheels that allow easy portability; like all the PRAMAC WX 3200 ES range, it is a generator that meets a high quality standard and guarantees a high level of reliability.

The strengths of the PRAMAC WX 3200 ES are: the high quality of the components, lightness, compactness, portability and ease of use and also the modern design. The single-phase 2.85 KVA generator is equipped with a manual rope start and electric start.

The PRAMAC WX 3200 ES has been specially developed for camping, caravans, homes, and hobby applications, etc., for this reason it reflects peculiar characteristics and comforts that allow its reliability and comfort in the fields of application.

STAGEV EMISSIONS REGULATION

The generator is equipped with a "mobile" STAGEV motorization, as required by the European Regulation 2016/1628. These new engines make it possible to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator into the environment, and ensure a reduction in the environmental impact of 200% compared to standard engines.

The advantages of the AVR voltage regulator



The automatic voltage regulator, or AVR allows the single-phase 2.85 KVA generator to deliver stable energy and therefore be able to connect equipment with delicate electronics such as computers, appliances, smartphones and tablets: the generator is therefore ideal for domestic use, in camping, for hobby and leisure, but also for construction sites and craftsmen.

The AVR voltage regulator and the other quality standard of the alternator with copper windings will provide you with safe and stabilized energy.

Technical Characteristics of the PRAMAC WX 3200 ES

Type of phase: Single-phase

Continuous power: 2.4 KVA / 2.4 KW

Maximum power: 2.85 KVA / 2.85 KW

VAC voltage: 230 V

Frequency (Hz): 50

Voltage regulator: AVR

Starting panel: Electric / Recoil

Engine: Pramac OHV

Emissions standard: Stage V

Revolutions per minute RPM: 3000

Fuel supply: Petrol

Tank capacity: 17 l

Consumption @ 50% load: 1.04 l / h

Autonomy @ 50% load: 16.3 h

Acoustic pressure : 65 dB (A) @ 7m

Length: 680 mm

Width: 602 mm

Height: 523 mm

Net weight: 49 Kg

Are you looking for a generator with different technical characteristics? [HERE](#) you can find the area dedicated to PRAMAC generators or other specialized brands

Non-binding images and data and may be subject to revisions.

Product features:

Phase: Single phase

Maximum power single phase (KW): 2.8

Continuous power single phase (KW): 2.4

Maximum power single phase (KVA): 2.8

Continuous power single phase (KVA): 2.5

Fuel: Gasoline



Frequency (Hz): 50

Voltage (V): 230

Engine: PRAMAC OHV

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Speed governor: Mechanical

Starting system: Electric and recoil

Cooling: Air

Fuel tank capacity (L): 17

Consumption (L/h): 1.04 at 50% of load

Running time (h): 16.3 at 50% of load

Acoustic pressure: 65 dB(A) at 7 m

Length (mm): 680

Width (mm): 602

Height (mm): 523

Dry weight (Kg): 49

Inverter: No

AVR: Yes

Compound: No

Silenced: Yes

Super silenced: No

ATS Switch device : Optional

Voltage regulator: AVR

Video: KhKXnERgwa8

