



CUMMINS C17D5Q GENERATOR 16,5KVA SIN GLE-PHASE/THREE- PHASE SILENCED

Product price:

8.496,00 € tax excluded

Product description:

CUMMINS C17D5Q GENERATOR 16,5KVA SINGLE-PHASE/THREE-PHASE SILENCED

The CUMMINS C17D5Q generator is equipped with a Cummins X2.5-G2 engine powered by diesel and is capable of delivering a maximum power of 16.5KVA, complete with compound voltage regulator.

The CUMMINS C17D5Q generator is compact and easy to use, equipped with a hood with sound-absorbing panels that significantly lower acoustic emissions and make it **supersilent**.

The Generator is equipped with an electric start and with low fuel consumption, in fact it consumes less than 4 litres/hour at 75% of the load for an autonomy of up to 16 hours of operation. The generating set guarantees efficient and silent operation thanks to the Cummins X2.5-G2 engine, which allows for the delivery of a maximum power of 16.5KVA.

In addition, it is equipped with automatic starting via the ATS panel, which allows it to start independently in the event of a blackout.

ATS AUTOMATIC STARTER PANEL ARRANGEMENT

The CUMMINS C17D5Q generator is designed for connection to ATS automatic starter panel. Thanks to which you will no longer have to worry about blackouts, since, in the event of a power failure from the mains, this panel is able to turn on the group and will allow you to continue your business without losing your work data.

CUMMINS C17D5Q TECHNICAL SPECIFICATIONS

Phase type: Single-phase / Three-phase

Continuous power: 15 KVA / 12 KW



Maximum power: 16.5 KVA / 13 KW
Engine: Cummins X2.5-G2
Power supply: Diesel
Engine speed: 1500 rpm
Regulation of revolutions: Mechanical
Alternator: Stamford S0L2-P1
Emissions standard: Stage ZERO
Starter: Electric / Automatic
Voltage regulator: Compound
Voltage: 230/400 V
Frequency: 50 Hz
Socket panel: Terminal box
Tank capacity: 55 l
Consumption at 75% of the load: 3.43 l/h
Autonomy at 75% of the load: 16 h
Length: 1960 mm
Width: 820 mm
Height: 1285 mm
Dry weight: 699 kg

Are you looking for a generator with different technical characteristics? [HERE](#) you can find the full range of CUMMINS generators and other specialized brands.

Non-binding images and technical data

Product features:

Phase: Single phase / Three phase
Maximum power three phase (KW): 13
Continuous power three phase (KW): 12
Maximum power three phase (KVA): 16.5
Continuous power three phase (KVA): 15
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230 / 400
Sockets configuration: Terminal box
Engine: Cummins X2.5-G2
Emissions Regulations: STAGE ZERO
Engine rpm (rpm): 1500
Speed governor: Mechanical
Starting system: Electric Automatic/Manual
Number cylinders: 4
Cylinders' position: In line





Cooling: Air

Alternator: Synchronous, brushless

Poles: 4

Bore x stroke (mm): 91.4x127

Fuel tank capacity (L): 55

Consumption (L/h): 3.4 at 75% of the load

Running time (h): 16 at 75% of the load

Acoustic pressure: 96 dB(A)

Length (mm): 1960

Width (mm): 820

Height (mm): 1285

Dry weight (Kg): 699

Silenced: Yes

Super silenced: Yes

Brushes: No

Product type: Generator

Control unit: PowerStart 600

ATS Switch device : Optional

Type of alternator: Constant Speed

Voltage regulator: Compound

Engine manufacturer: Cummins

Precision of voltage regulation: $\pm 2,5\%$