



# WHISPER W-SQ 22,5 MOBILE GENERATOR 22KW SINGLEPHASE/THREE-PHASE AVR

**Product price:** 

24.762,94 € tax excluded

## **Product description:**

WHISPER W-SQ 22,5 MOBILE GENERATOR 22KW SINGLE-PHASE/THREE-PHASE AVR

WHISPER W-SQ 22,5 Single-phase / three-phase mobile generator with Mitsubishi S4S engine powered by diesel, delivers a power of 22KW, **complete with AVR and EBS voltage regulator**.

The WHISPER W-SQ 22,5 vehicular generator comes standard with a robust acoustic case with anti-corrosion metal plating and heavy insulating material for optimal sound reduction. The hearing protector features easy access to all sides of the generator and offers access to all maintenance-related components from one side only.

Thanks to the AVR technology electrical stabilizer that works at very low distortion, WHISPER W-SQ 22,5 delivers constant current loads without voltage peaks that could damage electrical and electronic devices. A further advantage of the inverter is that it works with variable motor revolutions, based on the need for the current to be supplied, optimizing fuel consumption, gas emissions and wear of the mechanical parts in the best possible way.

### **VOLTAGE REGULATOR**

WHISPER W-SQ 22,5 is equipped with AVR which, mounted on an alternator, allows a generator set or current generator to stabilize the output voltage and does not damage the connected sensitive electronic devices. In the modern market, inverters have made a huge step forward in terms of technology and performance; for this reason the best brands of generator sets and alternators in the world are moving along this line of thought.

# Technical characteristics WHISPER W-SQ 22,5:





Phase type: Single-phase / Three-phase Maximum power: 24.7 KVA / 22 KW Continuous power: 22.5 KVA / 20 KW

Fuel: Diesel

Voltage: 230/400 V

Frequency: 50 Hz (60 Hz)

Engine: Mitsubishi S4S - 4 Cylinders Emissions standard: Not Emissions

Number of cylinders: 4
Engine rpm: 1500/1800 rpm

Sound power: 58 dBA

Fuel consumption: 6 l/h at 100% load

Voltage regulator: AVR + EBS

Length: 1260 mm Depth: 680 mm Height: 800 mm Net weight: 580 Kg

Are you looking for a product with different technical characteristics? HERE you can find the area dedicated to WHISPER vehicle generators or other specialized brands.

Non-binding images and technical data.

### **Product features:**

Phase: Single phase / Three phase Maximum power three phase (KW): 22 Continuous power three phase (KW): 20 Maximum power three phase (KVA): 24.7 Continuous power three phase (KVA): 22.5

Fuel: Diesel

Frequency (Hz): 50 (60 on request)

Voltage (V): 230 / 400 Engine: Mitsubishi S4S

**Emissions Regulations: Not Emitted** 

Engine rpm (rpm): 1500/1800

Number cylinders: 4 Cooling: Indirect

Consumption (L/h): 6 at 100% of the load

Acoustic pressure: 58 dB(A)

Length (mm): 1260 Width (mm): 680 Height (mm): 800





Dry weight (Kg): 580

Silenced: Yes

Super silenced: Yes

Product type: Generator

Voltage regulator: AVR + EBS Engine manufacturer: Mitsubishi

