



GENSET MPM 9/310 I-Y MOTORWELDER 8KVA THREE-PHASE

Product price:

7.498,00 € tax excluded

Product description:

GENSET MPM 9/310 I-Y 8 MOTORWELDER 8KVA THREE-PHASE

GENSET MPM 9/310 I-Y is a single-phase/three-phase engine-driven welder with Yanmar 3TNM72 engine diesel-powered, capable of delivering a maximum power of 8KVA.

Compact and resistant, thanks to the forkable base and the practical central lifting hook, it is suitable for frequent movements. GENSET MPM 9/310 I-Y is a super-silenced engine-driven welder with a compact casing, suitable for a wide range of applications including the construction of metal structures, oil pipelines and use on construction sites.

Equipped with a Yanmar 3000 rpm engine and on-board control logic, it is set up for remote control operation. Asynchronous alternator for better welding current quality, clean and distortion-free waveform. Like all GenSet engine-driven welders, it is designed for use contemporary to generation, its simple and smart design is designed for comfortable use.

STANDARD EQUIPMENT

- Forced arc selector
- Remote control socket
- Logic with digital display
- Automatic engine stop device
- Fuel gauge
- Starter battery
- Automatic return to minimum rpm in the absence of load
- Emergency stop button
- Three-phase socket 400V - 32A
- Single-phase socket 230V - 32A
- Single-phase socket 230V - 16A
- Protections for power outputs



Effective circuit breaker (ELCB)

TECHNICAL SPECIFICATIONS GENSET MPM 9/310 I-Y:

Phase type: Single-phase / Three-phase
Maximum three-phase power: 8 KVA / 6.4 KW
Maximum single-phase power: 2.7 KVA / 2.16 KW
Frequency: 50 Hz
Motor: Yanmar 3TNM72
Fuel: Diesel
Emissions standard: Not Emissions
Engine speed: 3000 rpm
Starter: Electric
Regulation range: 30A - 300A
DC welding: Electronic Current Regulation
Intermittence at 60%: 270A - 31V
Trigger voltage: 70 Vdc
Max. electrode: 6 mm
Tank capacity: 30 l
Fuel consumption: 5.1 Lt/h at 70% of the load
Autonomy: 5.8 h at 70% of the load
Sound pressure: 99 dB(A) | 70 dB(A) @ 7 m
Length: 1408 mm
Width: 532 mm
Height: 1015 mm
Dry weight: 385 Kg

Are you looking for an engine driven welder with different technical characteristics? HERE you can find the area dedicated to GENSET Engine Welders or of other specialized brands.

The images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 2.16
Maximum power single phase (KVA): 2.7
Maximum power three phase (KW): 6.4
Maximum power three phase (KVA): 8
Fuel: Diesel
Frequency (Hz): 50
Engine: Yanmar 3TNM72





Emissions Regulations: Not Emitted
Engine rpm (rpm): 3000
Starting system: Electric
Alternator: Asynchronous
Open circuit voltage (V): 70
Fuel tank capacity (L): 30
Consumption (L/h): 5.1 al 70 % del carico
Running time (h): 5.8 al 70 % del carico
Acoustic pressure: 70 dB(A) at 7 m
Length (mm): 1408
Width (mm): 532
Height (mm): 1015
Dry weight (Kg): 385
Silenced: Yes
Super silenced: Yes
Engine manufacturer: Yanmar