



# CUMMINS ONAN MDKDP MARINE GENERATOR 13,5 KW AVR

## Product description:

### CUMMINS ONAN MDKDP MARINE GENERATOR 13,5 KW AVR

CUMMINS ONAN MDKDP single-phase marine generator set with diesel Kubota V2203 engine delivers a power of 13,5KVA, **complete with AVR voltage regulator**.

The CUMMINS ONAN MDKDP marine generator designed with a soundproofing cabin that makes it **supersilent**. The excellent accessibility; the internal compartment makes it more comfortable; maintenance operations are facilitated even with the generator set installed in confined spaces.

The Cummins Onan MDKDP 13.5kW AVR marine generator set is the perfect choice for you. a reliable and efficient fuel system specifically designed for use in boating and marine applications. This generator set is designed for powered by a high quality Cummins diesel engine, which ensures greater reliability and reliability. and superior energy efficiency.

The AVR (Automatic Voltage Regulator) system integrated in this generator set ensures a stable and reliable output voltage, without fluctuations, thus protecting the sensitive electronic devices on board from instability. of the mains voltage. Furthermore, the water cooling system guarantees silent and reliable operation, keeping the engine temperature always under control.

The Cummins Onan MDKDP is the best choice for the designed to ensure reliable and safe operation under any condition of use. Rugged and heavy-duty construction ensures increased durability, even in harsh marine environments. Furthermore, the presence of an overload and short-circuit protection system ensures safe and reliable operation.

The advanced technology of this generator set also ensures superior energy efficiency, reducing fuel costs and exhaust emissions.

## TECHNICAL FEATURES CUMMINS ONAN MDKDP



Phase Type: Single Phase  
Single-phase Power: 13.5 KVA / 13.5 KW  
Voltage: 115V/230V  
Frequency: 50 Hz  
Motor: Kubota V2003  
Rpm: 1500 rpm  
Emissions Standards: Stage III / EPA  
Power Supply: Diesel  
Cooling: Liquid  
Cylinders: 4  
Bore x Stroke: 83 x 92.4 mm  
Starter: Electric 12V  
Fuel Consumption: 3.6 Lt/h at 75% load  
Voltage regulator: Digital AVR  
Sound pressure: 65 dB(A) at 1 meter  
Length: 1127 mm  
Width: 602 mm  
Height: 698 mm  
Weight: 408 kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to CUMMINS ONAN vehicle generators or other specialized brands.

Images and non-binding technical data.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 13.5  
Maximum power single phase (KVA): 13.5  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 115 / 230  
Engine: Kubota V2003  
Emissions Regulations: Stage III / EPA  
Engine rpm (rpm): 1500  
Starting system: Elettrico  
Number cylinders: 4  
Cooling: Water  
Poles: 4  
Bore x stroke (mm): 83 x 92.4  
Consumption (L/h): 4 al 75% del carico

---



Shop name

---

Acoustic pressure: 65 dB(A) a 1 m

Length (mm): 1033

Width (mm): 566

Height (mm): 593

Dry weight (Kg): 408

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : No

Voltage regulator: AVR

Engine manufacturer: Kubota



PrestaShop