



WHISPER ELITE8 OUTDOOR MOBILE GENERATOR 8KVA SINGLE PHASE INVERTER STAGE V

Product price:

15.200,00 € tax excluded

Product description:

WHISPER ELITE8 OUTDOOR MOBILE GENERATOR 8KVA SINGLE PHASE INVERTER STAGE V

WHISPER ELITE8 OUTDOOR Single-phase vehicular generator with Kubota Z482 StageV / EPA Tier 4 diesel engine, delivers 8KVA power, complete with INVERTER voltage regulator.

The key feature of the WHISPER ELITE8 OUTDOOR is the output quality combined with the peak power capacity. Within a certain window of diesel engine speed, the PMG provides the correct power quality to run comfort equipment, such as washing machines, air conditioning, electric cooking devices, and various other AC appliances.

WHISPER ELITE8 OUTDOOR comes complete with all the necessary fittings to connect the generator to the fuel tank, the necessary hoses to connect the engine to the cooling system, the cables to connect the starting engine to the starting battery, and the electrical wiring to connect the WHISPER to the on-board power system.

Devices such as air conditioners and electric motors are often controlled by electronics to improve efficiency and performance. Traditional generators may fail to operate these devices. All WHISPER ELITE models are equipped with a PMG (Power Module Genverter©) module to ensure that the voltage and frequency in the slow rate range remain perfect so that all equipment continues to operate without interruption.

The Whisper Elite8 uses state-of-the-art inverter technology, which allows for a perfect sine wave without voltage spikes or current surges. This makes the generator suitable for all types of electrical equipment, including use with more sensitive equipment such as computers, electronic





appliances and precision instruments.

STAGEV / EPA Tier 4 EMISSION REGULATIONS.

The WHISPER ELITE8 OUTDOOR Vehicular Generator is equipped with STAGEV "mobile" motorization, as required by European Regulation 2016/1628. These new motorizations make it possible to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator to the environment, and ensure a 200% reduction in environmental impact compared to standard motorizations.

Only the best 2-cylinder engines are applied: long-lasting, reliable and quiet engines that meet EPA /Tier 4 (US standard) and Stage V (European standard) standards. The engine and back-end PM alternator are connected in a single cooling circuit and kept at a constant temperature by a heat exchanger.

TECHNICAL SPECIFICATIONS WHISPER ELITE8 OUTDOOR :

Phase Type: Single Phase
Maximum Power: 8.5KVA / 6.4 KW
Continuous Power: 8 KVA / 6 KW
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Engine: WhisperPower Kubota Z482
Emission standard: Stage V certified / EPA Tier 4
Number of cylinders: 2
Displacement: 479 cc
Engine RPM: 2400 / 2800 rpm
Fuel consumption: 2.5 l/h at 100% load
Acoustic power: 59 dBA @ 7 m
Voltage regulator: Inverter
Length x width x height (group): mm 742 x 597 x 670
Length x width x depth (PMG): mm 490 x 198 x 188
Net weight (group + PMG): kg 200+ 9.9

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER vehicle generators or those of other specialized brands.

Images and technical data are not binding.

Product features:

Phase: Single phase





Maximum power single phase (KW): 6.4
Continuous power single phase (KW): 6
Maximum power single phase (KVA): 8.5
Continuous power single phase (KVA): 8
Fuel: Diesel
Frequency (Hz): 50 Hz
Voltage (V): 230
Engine: WhisperPower Kubota Z482
Emissions Regulations: Stage V Certified / EPA Tier 4
Engine rpm (rpm): 2400 / 2800
Engine capacity (cm³): 479
Number cylinders: 2
Cooling: Radiatore / raffreddato a liquido
Consumption (L/h): 2.5 l/h at 100% load
Acoustic pressure: 59 dB(A) at 7 m
Length (mm): 742
Width (mm): 597
Height (mm): 670
Dry weight (Kg): 200 + 9.9
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: Inverter
Engine manufacturer: Kubota

