



# LIGHTING TOWER 4x320W G4 LED FAST TOWING

Product price:

**12,050.00 € tax excluded**

## Product description:

### LIGHTING TOWER 4x320W G4 LED FAST TOWING

Mobile Lighting Tower equipped with four 320W Led floodlights that can be raised to a height of 8.5 m, capable of illuminating an area of 4500 m<sup>2</sup>.

The Lighting Tower is equipped with a Yanmar 2TNV-70 diesel-powered engine, which in combination with the capacious 100 l tank manages to provide a 140 h working range. The Lighting Tower has extremely quiet operation, in fact it has a sound emission of only 58 dB(A) at 7m.

Equipped as standard with digital control, specifically designed to manage every function of the tower to improve ease of use. To improve safety the Lighting Tower floodlights are powered by low voltage (48V) .

Thanks to the included 230V outlet, another Lighting Tower can be connected in parallel to use two simultaneously with one engine, saving fuel and money.

The Lighting Tower has three doors for easy access of which two "gull-wing" doors allow full access to the motor for safe and quick maintenance. A rear door for access to the digital control panel. The special shape of the adjustable outriggers allows the operator to level the machine in seconds.

Lighting Tower comes complete with:

- Quick Haul
  - 50 mm ball hook
  - Automatic pole retraction with brake applied
  - Twilight sensor
  - Plastic document box
-



---

## TECHNICAL FEATURES

Lamp power: 4 x 320 W  
Lamp type: LED  
Total lumens: 188160 Lm  
Illuminated area: 4500 m<sup>2</sup>  
Lifting system: Hydraulic  
Pole rotation: 340°  
Engine: Yanmar 2TNV-70  
Engine Cooling: Liquid  
Cylinders (N): 2  
Motor speed (50/60 Hz): 1500 / 1800 rpm  
Liquid collection tank (110%): Yes  
Alternator (kVA/V/Hz): 5/220/50 - 5/240/60  
Electrical outlet (kVA/V/Hz): 2/220/50 - 2/240/60  
Power plug (A/V/Hz): 16/220/50 - 16/240/60  
Average sound pressure: 58 dB(A) @ 7m  
Wind resistance: 110 km/h  
Tank capacity: 100 l  
Autonomy: 143 h  
Minimum dimensions (W x D x H): 2250 x 1400 x 2436 mm  
Maximum dimensions (W x D x H): 2640 x 1900 x 8500 mm  
Dry weight: 1030 kg

Looking for a Lighting Tower with different technical features? [HERE](#) you can find the full range of lighting towers from specialized brands.

Non-binding images and technical data.

### Product features:

Phase: Single phase  
Maximum power single phase (KVA): 5  
Fuel: Diesel  
Voltage (V): 230  
Engine: Yanmar 2TNV-70  
Emissions Regulations: Not Emitted  
Engine rpm (rpm): 1500 / 1800  
Number cylinders: 2  
Cooling: Coolant Liquid  
Type of lamps: LED  
Lamps: 4 x 320 W  
Illuminated area (m<sup>2</sup>): 4500

---



Total lumens (Lm): 188160  
Lifting System: Hydraulic lifting system  
Maximum height (m): 8.5  
Mast rotation: 340°  
Open size (mm): 2640 x 1900 x 8500  
Closed size (mm): 2250 x 1400 x 2436  
With generator / Without generator: With generator  
Transportability: Fast Trailer  
Stability to wind (Km/h): 110  
Fuel tank capacity (L): 100  
Running time (h): 143  
Acoustic pressure: 58 dB(A) at 7 m  
Dry weight (Kg): 980  
Engine manufacturer: Yanmar