



Ø.

**Product price:** 

## 900,82 € tax excluded

## **Product description:**

HONDA MIIMO HRM1000 ROBOT MOWER

HONDA MIIMO HRM1000 ROBOT MOWER is a robot mower designed for small to mediumsized gardens. It has a number of features that make it an ideal choice for those who want a reliable and easy-to-use robot mower.

HONDA MIIMO HRM1000 ROBOT MOWER is powered by a 21.6V battery. It is capable of cutting grass on slopes of up to 25 degrees.

HONDA MIIMO HRM1000 is equipped with a rain sensor that makes it return to base when it rains. It also has an obstacle sensor that makes it stop in the event of a collision.

HONDA MIIMO HRM1000 ROBOT MOWER can be controlled a smartphone app. The HRM1000 app allows you to set cutting schedules, control the robot in real time and receive notifications in case of problems. Set the geofence by moving your fingers in and out to change the size of the map. The geofence area has a minimum radius of 6 m. If HONDA MIIMO HRM1000 ROBOT MOWER leaves the geofence, the customer will receive an alert (via e-mail and push notification) within 15 minutes. Position updates every 3 minutes when the HONDA MIIMO HRM1000 ROBOT MOWER is switched on, every 12 minutes when the HONDA MIIMO HRM1000 ROBOT MOWER is switched off Last position informs the customer of the last time the TCU was able to send the GPS position to the app User can activate the movement points to see the Miimo's position history User can toggle between map view and satellite view

## Technical Specifications HONDA MIIMO HRM1000:

Garden size Up to 1000 m2 (800) Slope in Degrees ° 25 Slope in Percentage % 47% Slope in Degrees ° on perimeter 10

PrestaShop

R



Slope in Percentage % on perimeter 18%. **Brushless Motor Technology** Battery Technology Integrated battery pack Cutting height 20-60mm Cutting height adjustment Manual Cutting time 40 Charging time 40 Stakes in pack [N] None Number of blades 3 Cutting deck width (mm) 220 Blade Motor Rotation Clockwise and Anti-clockwise Docking Station Rectilinear (clockwise/counterclockwise) Software Features 4 Wire Id Wire overlap from 20 cm to 45 cm Cutting start points 3 Directional cable 0 Maximum length of perimeter cable 400 metres Perimeter cable depth 1-20cm Bluetooth Software Update - Dr.H Weight 11.3Kg IPX4 water resistance rating Noise (guaranteed) 56/55 db(a) Bluetooth connectivity Perimeter cable depth 1 to 20 cm Battery voltage 21.6V Battery mAh 1900mAh Transformer Output voltage 40V Length: 655 mm Height: 270mm Width: 535mm

HONDA MIIMO HRM1000 ROBOT MOWER is an ideal solution for those who want a lawnmower robot that can handle a small to medium-sized garden. It is reliable, easy to use and equipped with a range of features that make it an affordable option.

Here are some of the advantages of using a robot lawnmower:

Saving time and effort: HONDA MIIMO HRM1000 can cut the grass for you, freeing you from work.

Better cutting quality: HONDA MIIMO HRM1000can cut the grass evenly and precisely, achieving a better result than a conventional lawnmower.

Better lawn health: HONDA MIIMO HRM1000 cuts grass more frequently, promoting healthy lawn growth.

Looking for a HONDA HRM1000 robotic lawnmower with different technical characteristics? HERE you can find the area dedicated to HONDA lawn mowers or other specialised brands.

R

Images and technical data are not binding.

## **Product features:**

Ø.

Acoustic pressure: 56/55 db(a) Length (mm): 655 Width (mm): 535 Height (mm): 270 Product type: Lawnmower Engine manufacturer: Honda Weight (Kg): 11.3 Amplitude of work area: Up to 1000 m<sup>2</sup> Blade type: 3 Cutting width (mm): 220 Cutting height adjustment: Manuale Waterproofness: IPX4 Pendenza massima sul perimetro del giardino: 18% / 10° Maximum slope within the garden: 47%/25°