



GENSET MG 10.3 DT VEHICULAR GENERATOR 10 KVA

Product price:

11.266,05 € tax excluded

Product description:

GENSET MG 10.3 DT VEHICULAR GENERATOR

GENSET MG 10.3 DT Compact, light and silent vehicular generator designed for installation on board special vehicles such as workshop wagons, motorhomes, trucks and caravans, Civil Defence rescue vehicles. Equipped with a Yanmar 1500 rpm engine, it is fitted with an on-board control panel and external muffler, 20 litre plastic or steel tank available.

The GENSET MG 10.3 DT can be used to power work equipment, such as power tools, compressors or welders, in locations not served by a power grid. It can also be used to supply power to caravans or motor homes while travelling.

GENSET MG 10.3 DT vehicle generators are used in a variety of applications, including:

Construction sites: vehicular generators are used to power work equipment such as power tools, compressors or welding machines.

Events: Vehicular generators are used to power audio and video equipment, lights and other electrical devices.

Outdoor work: Vehicle generators are used to power electrical equipment in locations not served by a power grid.

Emergencies: vehicular generators can be used to supply power in the event of a blackout or natural disaster.

TECHNICAL DATA GENSET MG 10.3 DT VEHICULAR GENERATOR:

Maximum three-phase power: 10 KVA

Maximum three-phase power: 8 KW





Maximum power Single-phase: 3.3 KVA
Single-phase maximum power: 2.64 KW
Fuel: Diesel
Voltage: 230/400 V
Frequency: 50 Hz
Engine: Yanmar 3TNV80F (STAGE V)
Starter: Electric
Consumption: 2.2 Lt/h
Length: 1070 mm
Width: 560 mm
Height: 660 mm
Weight: 320 Kg

Vehicular generator 10 kVA 400/230V 50 Hz. super

silenced - without tank - without starter battery.

If you are looking for a similar product or with similar characteristics click [HERE](#).

Images purely indicative.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 2.64
Maximum power single phase (KVA): 3.3
Maximum power three phase (KVA): 10
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230 / 400
Engine: Yanmar 3TNV80F-NGB
Engine rpm (rpm): 1500
Starting system: Electric
Alternator: Synchronous
Protection degree: IP23
Consumption (L/h): 2.2
Acoustic pressure: 58 dB(A) at 7 m
Length (mm): 1070
Width (mm): 560
Height (mm): 660
Dry weight (Kg): 320
Silenced: Yes
Super silenced: Yes



Product type: Generator

Engine manufacturer: Yanmar