



GENERATOR 10 KVA SUPER SILENCED SINGLE PHASE STAGEV

Product price:

6.440,00 € tax excluded

Product description:

GENERATOR 10 KVA SUPERSILENCED SINGLE PHASE STAGEV

The Generator single phase is equipped with Kubota D1105 STAGEV engine with Diesel power supply, able to deliver a power of 10 KVA.

This generator is equipped with electric start, with 12 V battery and enclosure that lowers noise emissions and makes it supersilenced.

The group is equipped with a soundproof cabin, thanks to which there is a drastic reduction of noise pollution up to 70 dB recorded at a distance of 7 meters, thanks to these features the group can be considered super silenced.

The generator guarantees efficient and silent operation thanks to the Kubota D1105 engine, which can deliver a maximum power of 10KVA.

The generator includes:

- Automatic engine stop device with warning lights for:
 - battery charge failure
 - high water temperature
 - low fuel level
 - low oil pressure
- 1 single-phase EEC 230V - 32A socket
- 1 single-phase 230V socket
- 12 V battery
- Power output protections
- Differential switch
- Voltmeter
- Hour meter





- Emergency stop button
- Fork passage

STAGEV EMISSION STANDARDS

This Generator is equipped with STAGEV "mobile" motorization, as required by the European Regulation 2016/1628. These new motorizations allow to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator into the environment, and ensure a reduction in environmental impact of 200% compared to standard motorizations.

TECHNICAL FEATURES

Phase Type: Single-Phase
Maximum Single-Phase Power: 10 KVA / 8 KW
Continuous Single-Phase Power: 9 KVA / 7.2 KW
VAC Voltage: 230 V
Frequency (Hz): 50
Starting Frame: Electric
Engine: Kubota D1105
Emissions Standard: STAGE V
RPM: 1500
Power supply: Diesel
Fuel tank capacity: 40 l
Consumption @ 75 % load: 2 l/h
Autonomy @ 75 % load: 20 h
Acoustic pressure: 95 dB(A)
Length: 1357 mm
Width: 707 mm
Height: 942 mm
Net weight: 350 Kg

Are you looking for a generating set with different technical characteristics? [HERE](#) you can find the area dedicated to generating sets of specialized brands.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 8
Continuous power single phase (KW): 7.2
Maximum power single phase (KVA): 10
Continuous power single phase (KVA): 9





Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 32A
Engine: Kubota D1105
Emissions Regulations: Stage 5
Engine rpm (rpm): 1500
Starting system: Electric
Engine capacity (cm³): 1123
Number cylinders: 3
Cooling: Water
Alternator: Synchronous
Protection degree: IP23
Motor insulation class: H
Fuel tank capacity (L): 40
Consumption (L/h): 2 at 75% of the load
Running time (h): 20 at 75% of the load
Acoustic power: 95 dB(A)
Acoustic pressure: 70 dB(A) at 7 m
Length (mm): 1357
Width (mm): 707
Height (mm): 942
Dry weight (Kg): 350
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: Capacitor
Engine manufacturer: Kubota

