



# GENERATOR 10 KVA SUPER SILENCED SINGLE PHASE STAGEV

# **Product price:**

6,440.00 € tax excluded

## **Product description:**

### **GENERATOR 10 KVA SUPERSILENCED SINGLE PHASE STAGEV**

The Generator single phase is equipped with Kubota D1105 STAGEV engine with Diesel power supply, able to deliver a power of 10 KVA.

This generator is equipped with electric start, with 12 V battery and enclosure that lowers noise emissions and makes it supersilenced.

The group is equipped with a soundproof cabin, thanks to which there is a drastic reduction of noise pollution up to 70 dB recorded at a distance of 7 meters, thanks to these features the group can be considered super silenced.

The generator guarantees efficient and silent operation thanks to the Kubota D1105 engine, which can deliver a maximum power of 10KVA.

## The generator includes:

- Automatic engine stop device with warning lights for:
- battery charge failure
- high water temperature
- low fuel level
- low oil pressure
- 1 single-phase EEC 230V 32A socket
- 1 single-phase 230V socket
- 12 V battery
- Power output protections
- Differential switch
- Voltmeter
- Hour meter



- Emergency stop button
- Fork passage

#### STAGEV EMISSION STANDARDS

This Generator is equipped with STAGEV "mobile" motorization, as required by the European Regulation 2016/1628. These new motorizations allow to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator into the environment, and ensure a reduction in environmental impact of 200% compared to standard motorizations.

#### **TECHNICAL FEATURES**

Phase Type: Single-Phase

Maximum Single-Phase Power: 10 KVA / 8 KW Continuous Single-Phase Power: 9 KVA / 7.2 KW

VAC Voltage: 230 V Frequency (Hz): 50 Starting Frame: Electric Engine: Kubota D1105

Emissions Standard: STAGE V

RPM: 1500

Power supply: Diesel Fuel tank capacity: 40 l

Consumption @ 75 % load: 2 l/h Autonomy @ 75 % load: 20 h Acoustic pressure: 95 dB(A)

Length: 1357 mm Width: 707 mm Height: 942 mm Net weight: 350 Kg

Are you looking for a generating set with different technical characteristics? <u>HERE</u> you can find the area dedicated to generating sets of specialized brands.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 8 Continuous power single phase (KW): 7.2



Maximum power single phase (KVA): 10 Continuous power single phase (KVA): 9

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 32A

Engine: Kubota D1105

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500 Starting system: Electric Engine capacity (cm³): 1123

Number cylinders: 3

Cooling: Water

Alternator: Synchronous Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 40

Consumption (L/h): 2 at 75% of the load Running time (h): 20 at 75% of the load

Acoustic power: 95 dB(A)

Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 1357 Width (mm): 707 Height (mm): 942 Dry weight (Kg): 350

Silenced: Yes

Super silenced: Yes Product type: Generator Voltage regulator: Capacitor Engine manufacturer: Kubota

