



# GENERATOR VEHICULAR SUPERSILENCED SINGLE- PHASE 6.2 kVA

**Product price:**

**5.249,00 € tax excluded**

## **Product description:**

GENERATOR VEHICULAR SUPERSILENCED SINGLE-PHASE 6.2 kVA

GENERATOR SUPERSILENCED SINGLE-PHASE VEHICULAR 6.2 kVA WITHOUT INTERNAL GAS TANK Standard equipment:

Remote control panel consisting of:

- Multifunction digital display for reading single-phase voltage generator, battery voltage, frequency, hour meter, engine speed

- Start button and stop button

- Predisposition for AUTO MODE operation on call from external contact.

- Machine edge:

- Remote connection cable (10 m)

- Automatic engine stop device in the event of: low oil level high water temperature

- Thermal switch to protect the vehicle generator

- General disconnect switch





- Built-in muffler

6.2 kVA SINGLE-PHASE OUTPUT VEHICULAR GENERATOR

PETROL ENGINE 3000 RPM

SUPERSILENCED VERSION

WITH INTERNAL MUFFLER

Options to be specified at time of order for model:

SINGLE-PHASE VEHICULAR SUPER-SILENCED GENERATOR WITHOUT INTERNAL MUFFLER TANK

- Plastic tank (20 l) with brackets
- Steel tank (20 l) with brackets
- Fuel reserve indicator kit
- Lockable fuel filler neck
- Hose connection (1 m) to tank with filler neck

Acoustic power for model :

- Lwa 83 (58 dB at 7 m)

SuperSilenced 50Hz Single-phase Vehicle Generator

- Type: synchronous
- Maximum single-phase power: 6.2 kVA - 230V
- Power factor:  $\cos \varphi \geq 0.8$

VEHICULAR GENERATOR fitted with a petrol engine 3000 rpm

- Type: Honda GX 390 - 1 cil. - 11 hp (8.2 kWm) - 390 cm<sup>3</sup>





- Cooling: air
- Starter: electric
- Fuel consumption at 75% load: 3.3 l/h

#### Other characteristics of the VEHICLE GENERATOR

- Insulation class: H
- Ambient temperature: 40 °C (\*)
- Reference altitude: 1000 mt (\*)
- Degree of protection: IP 23
- Dimensions (L x W x H): 831 x 513 x 465 mm
- Dry weight: 140 kg

The generator offers a maximum power output of 6.2 kVA, enough to large electrical appliances such as refrigerators, air conditioners and tools. In addition, thanks to the internal muffler, the generator is extremely quiet.

The generator Vehicular is a real jewel of design, which blends perfectly into any environment.

if you are looking for a product similar to this one click [HERE](#).

The picture and technical data are purely indicative

#### Product features:

Phase: Single phase  
Maximum power single phase (KVA): 6.2  
Fuel: Gasoline  
Voltage (V): 230  
Engine: Yanmar L70N  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 390





Number cylinders: 1  
Cooling: Air  
Alternator: Synchronous  
Consumption (L/h): 0.98 al 75% del carico  
Acoustic power: 83 dB(A)  
Acoustic pressure: 58 dB(A) at 7 m  
Length (mm): 810  
Width (mm): 778  
Height (mm): 420  
Dry weight (Kg): 140  
Silenced: Yes  
Super silenced: Yes  
ATS Switch device : Optional  
Voltage regulator: No  
Engine manufacturer: Honda

