



# GENERATOR HYUNDAI THREE-PHASE SILENCED 48KW/60KVA STAGE II 65528

**Product price:**

**19,037.00 € tax excluded**

## **Product description:**

### **Generator Hyundai Three-Phase Silenced Stagell**

Generator Hyundai Three-phase Silenced Stagell Power and reliability in one.

Hyundai Three-phase Stagell is the ideal choice for those looking for a Hyundai generator, reliable and quiet generator Stagell to power your home, business or construction site.

With a power rating of 16 kW single-phase and 48 kW three-phase, this Hyundai is capable of supplying to a wide range of equipment.

## **Its main features include:**

3900 cc Cummins engine: reliable and complies with Stagell emission regulations.

Direct injection system: provides high efficiency and low fuel consumption.

LK224F alternator: robust and reliable, provides a pure sine wave ideal for powering sensitive electronic equipment.

"Waterproof" control panel: enables easy and safe monitoring and control of the generator.

Emergency safety button: ensures immediate generator shutdown in case of need.

Miniaturized and Waterproof circuit breaker: protects the generator Stagell from overloads and



short circuits.

Noise level below 85 dB (at 7m): quiet operation that does not disturb the neighborhood.

IP23 degree of protection: resistant to water and dust.

Large autonomy: 120-liter tank for extended operation.

Liquid cooling system: keeps Hyundai at optimal temperatures even under severe working conditions.

Deepsea DSE6120 control unit: provides comprehensive information on the operation of the Hyundai generator Stagell.

Provision for ATS: allows automatic generator connection in case of failure.

### **The Hyundai Three-Phase Silenced Stagell Generator is an ideal choice for:**

Private homes: provides backup power in the event of a blackout or to power high electrical equipment.

Businesses: provides business continuity during power outages.

Construction sites: provides for power tools and machinery.

With its reliability and quiet operation, Hyundai Three-Phase Silenced Stagell

is the ideal solution for all needs.

Beating heart of reliability: The mighty 3900 cc Cummins engine beats to the beat of your peace of mind,

delivering flawless performance and unprecedented durability. No more deafening noise!

State-of-the-art soundproofing technology makes this

Hyundai generator Three-Phase a silent companion in any setting, from home to construction site.

Flexibility without limits: A generator as versatile as you are!

### **Technical specifications Hyundai Three-Phase Silenced Stagell Generator:**

Single/three-phase

---



Three-phase continuous power use: 60 KVA

Nominal power: 16/48 Kw

Max. power MF/TF: 17.7/53 Kw

Frequency: 50 Hz

Amperage: 87 A

Noise Level: 85 DB (at 7m)

IP Degree of Protection: IP23

Degree of Insulation: H/H

Altitude: 1000m asl

Engine: Cummins

Displacement: 3900 cc

Type of Injection: Direct

No. Cylinders: 4

Engine revs: 1500/min

Emissions: Stage II

Fuel consumption 100%/75%/50% load: 13.1/9.8/6.7 Lt/h

Fuel: Diesel

Tank capacity: 120 L

Cooling System: Coolant

Control unit: DEEPSEA DSE6120

Total capacity of lubrication system: 16.4 L

Cap. total cooling system: 8.3 L

Alternator Model: Lk224F

Exciter: Brushless - Self-excitation

Dimensions L x W x H: 2470 \* 1010 \* 1250 mm

Weight: 1204 Kg

Predisposition: ATS

Hyundai Technology: Hyundai is at the forefront of adopting new technologies.

The company is a leader in electrification, with an ever-expanding range.

It is also constantly integrating innovations such as advanced safety systems.

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

### Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 17,7

Maximum power three phase (KVA): 53



---

Continuous power three phase (KVA): 60

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: 4BTA3.9-G2

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500

Starting system: Elettrico

Engine capacity (cm<sup>3</sup>): 3900

Number cylinders: 4

Cooling: Liquid

Alternator: LK224F

Length (mm): 2470

Width (mm): 1010

Height (mm):

Engine manufacturer: Cummins

Weight (Kg): 1204

