



# HYUNDAI GENERATORE TRIFASE SILENZIATO 48KW/60KVA STAGE II

### **Product price:**

13,132.00 € tax excluded

## **Product description:**

## Generator Hyundai Three-Phase Silenced Stagell

Generator Hyundai Three-phase Silenced StageII Power and reliability in one

Hyundai Three-phase Silenced StageII is the ideal choice for those looking for a powerful Hyundai generator,

reliable and quiet generator to power your home, business or construction site.

Rated at 16 kW single-phase and 48 kW three-phase, this Hyundai StageII generator can power a wide range of equipment.

Low consumption and minimal emissions: this Hyundai three-phase generator is designed to minimize environmental impact,

contributing to a more sustainable and responsible future, without sacrificing performance. A hurricane of energy at your service, whispered not shouted:

Hyundai's Stagell Three-Phase Silenced Generator unleashes unstoppable power in silence,

revolutionizing the way we think about energy.

A beating heart of reliability that beats to the rhythm of your peace of mind: The mighty 3900cc Cummins engine

offers flawless performance and unprecedented durability, ensuring your peace of mind.

#### Its main features include:



3900 cc Cummins engine: reliable and complies with StageII anti-pollution regulations.

Direct injection system: provides high efficiency and low fuel consumption.

LK224E Alternator: robust and reliable, provides a pure sine wave ideal for powering sensitive electronic equipment.

"Waterproof" control panel: enables easy and safe monitoring and control of the Hyundai Stagell generator.

Emergency safety button: ensures immediate shutdown of the Hyundai StageII generator in case of need.

Miniaturized and Waterproof circuit breaker: protects the Hyundai generator from overloads and short circuits.

Noise level below 85 dB (at 7m): quiet operation that does not disturb the neighborhood.

IP23 degree of protection: resistant to water and dust.

Large autonomy: 120-liter tank for extended operation.

Liquid cooling system: keeps the Hyundai generator at optimal temperatures even under severe working conditions.

Deepsea DSE6120 control unit: provides comprehensive information on generator operation.

Provision for ATS: allows automatic connection of the Hyundai generator in case of failure.

The Hyundai Three-Phase Silenced StageII Generator is an ideal choice for:

Private homes: provides backup in case of power outages or to power highelectrical equipment.

## **Technical characteristics Hyundai Silenced Stagell Generator:**

Voltage:230/400 V Single/three-phase

Three-phase continuous use power: 60 KVA

Nominal power: 16/48 Kw Max. power MF/TF: 18/54 Kw

Frequency: 50 Hz Amperage: 86.6 A

Noise Level: 85 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H



Altitude: 1000m asl

Engine: YTO

Displacement: 3900 cc Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min Emissions: StageII

Fuel consumption 100%/75%/50% load: 9.6/7.2/64.8 l/h

Fuel: Diesel

Tank capacity: 120 L Cooling System: Coolant

Control unit: DEEPSEA DSE6120

Total capacity of lubrication system: 14 L

Cap. Tot. cooling system 6 L Alternator Model: Lk224E

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 2470 \* 1010 \* 1125 mm

Weight: 1210 kg Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click HERE.

The image is purely indicative.

## **Product features:**

Phase: Single phase / Three phase Maximum power single phase (KW): 18 Maximum power three phase (KVA): 54 Continuous power three phase (KVA): 60

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400 Engine: YT4B2Z-15

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500 Starting system: Elettrico Engine capacity (cm³): 3900

Number cylinders: 4

Cooling: Liquid



Alternator: LK224E Length (mm): 2470 Width (mm): 1010 Height (mm): 1125

Engine manufacturer: YTO Weight (Kg): 1210

