



Shop name



# HYUNDAI GENERATOR THREE-PHASE SILENCED 16KW/20KVA STAGE II

Product price:

**6,150.00 € tax excluded**

## Product description:

### HYUNDAI GENERATOR THREE-PHASE SILENCED 16KW/20KVA STAGEII

Generator Hyundai three-phase silenced StageII power reliability in a single solution

The Hyundai three-phase Silenced StageII Generator is the ideal choice for those looking for reliable and quiet generator Hyundai StageII to power their home, business or construction site.

With a rated output of 16 kW single-phase and 48 kW three-phase, this generator Hyundai StageII can power a wide range of equipment.

## Its main features include:

2540 cc Cummins engine: reliable and compliant with StageII anti-pollution regulations.

Direct injection system: ensures high efficiency and low fuel consumption.

LK184E alternator: robust and reliable, providing a pure sine wave ideal for powering sensitive electronic equipment.

Waterproof" control panel: allows easy and safe monitoring and control of the generator Hyundai StageII.

Emergency safety button: ensures immediate generator Hyundai shutdown in case of need.

Waterproof miniature circuit breaker: protects the generator Hyundai from overloads and short circuits.

Noise level below 75 dB (at 7m): quiet operation that does not disturb neighbours.



IP23 degree of protection: resistant to water and dust.

Large autonomy: 40 litre tank for prolonged operation.

Liquid cooling system: keeps the generator Hyundai at optimum temperatures even under severe working conditions.

Deepsea DSE6120 control unit: provides comprehensive information on Hyundai generator Stagell operation.

Provision for ATS: allows automatic Hyundai generator connection in the event of a power failure.

The Hyundai Stagell Three-Phase Silenced Generator is the ideal choice for:

Private homes: provides backup in the event of a blackout or to high-power electrical equipment.

Advanced monitoring: Get valuable information on the operation of your generator

with the Deepsea DSE6120 control unit, which provides comprehensive information.

Extended runtime: The large 40-litre fuel tank provides ample fuel capacity for extended operation,

keeping you fuelled for longer.

Built to last: IP23 protects the generator from water and dust, making it suitable for various environments.

### **Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:**

Voltage: 230/400 V

Single/three-phase

Three-phase continuous use power: 20 KVA

Nominal power: 5.3/16 Kw

Max MF/TF Power: 5.8/17.5 Kw

Frequency: 50 Hz

Amperage: 29 A

Noise Level: 75 DB (at 7m)

IP Degree of Protection: IP23

Degree of Insulation: H/H

Altitude: 1000m asl

Engine: Fawde

Displacement: 2540 cc

Type of Injection: Direct

No. Cylinders: 4

---



Engine rpm: 1500/min  
Emissions: Stage II  
Consumption 100%/75%/50% of load: 3.2/2.4/1.6 l/h  
Fuel: Diesel  
Tank capacity: 40 L  
Cooling System: Coolant  
Control unit: DEEPSEA DSE6120  
Total capacity of lubrication system: 8 L  
Cap. total cooling system 6 L  
Alternator Model: Lk184E  
Exciter: Brushless - Auto - Excitation  
Dimensions L x W x H: 1600 \* 740 \* 825 mm  
Weight: 579 kg  
Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

#### **Product features:**

Phase: Single phase / Three phase  
Maximum power single phase (KW): 5.8  
Continuous power three phase (KW): 20  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230 / 400  
Engine: 4DW91-29D-YFD10W  
Emissions Regulations: Stage 2  
Engine rpm (rpm): 1500  
Starting system: Elettrico  
Engine capacity (cm<sup>3</sup>): 2540  
Number cylinders: 4  
Cooling: Liquid  
Alternator: LK184E  
Length (mm): 1600  
Width (mm): 740  
Height (mm): 825  
Engine manufacturer: Fawde  
Weight (Kg): 579

---