



# HYUNDAI GENERATOR THREE-PHASE SILENCED 20KW/25KVA STAGE II

## **Product price:**

7,500.00 € tax excluded

## **Product description:**

#### HYUNDAI GENERATOR THREE-PHASE SILENCED 16KW/20KVA STAGEII

GENERATOR HYUNDAI SILENT THREE-PHASE STAGEII 16KW/20KVA Silent power at your service

The Hyundai StageII generator represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits:

#### Generator **High performance**:

2540 displacement Fawde engine: powerful, reliable and Stagell compliant

Direct injection system: efficiency and low consumption

LK184F alternator: robust and reliable, providing a pure sine wave.

Highest quality LK184F alternator: Robust, reliable and designed to deliver a pure sine wave,

it ensures a stable and safe power supply for all your devices, without the risk of damage.

Efficient, high-performance liquid cooling system: Keeps motor temperature under control

even under severe working conditions, ensuring longer life, flawless operation,

and protection against overheating.



## **Quiet operation:**

Noise level below 75 dB (at 7m): ideal for residential and office environments

#### Safety and reliability:

Waterproof' control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need

Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

### **Autonomy and durability:**

Large autonomy: 45-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

#### Advanced control and management:

Deepsea DSE6120 control unit

Ready for ATS: automatic connection in the event of mains failure

#### The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent StageII Generator

is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent StageII Generator

features a direct injection system for efficiency and low fuel consumption.



The Hyundai three-phase Silent StageII Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

## **Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:**

Voltage:230/400 V Single/three-phase

Three-phase continuous use power: 20 KVA

Nominal power: 5.3/16 Kw Max MF/TF Power: 5.8/17.5 Kw

Frequency: 50 Hz Amperage: 29 A

Noise Level: 75 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H

Altitude: 1000m asl Engine: Fawde

Displacement: 2540 cc Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min Emissions: Stage II

Consumption 100%/75%/50% of load: 3.2/2.4/1.6 l/h

Fuel: Diesel

Tank capacity: 40 L

Cooling System: Coolant

Control unit: DEEPSEA DSE6120
Total capacity of lubrication system: 8 L

Cap. total cooling system 6 L Alternator Model: Lk184E

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 1600 \* 740 \* 825 mm

Weight: 579 kg Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click HERE.

The image is purely indicative.



#### **Product features:**

Phase: Single phase / Three phase

Maximum power single phase (KW): 7.5 Maximum power three phase (KW): 22.5 Maximum power three phase (KVA): 25

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Engine: 4DW92-35D-YFD10W Emissions Regulations: Stage 2

Engine rpm (rpm): 1500 Starting system: Elettrico Engine capacity (cm³): 2540

Number cylinders: 4 Cooling: Liquid Alternator: LK184E Length (mm): 1800 Width (mm): 740

Engine manufacturer: Fawde

Weight (Kg): 627

Height (mm): 825